

Integral Cryptanalysis on Full MISTY1^{*}

Yosuke Todo

NTT Secure Platform Laboratories, Tokyo, Japan
todo.yosuke@lab.ntt.co.jp

Abstract. MISTY1 is a block cipher designed by Matsui in 1997. It was well evaluated and standardized by projects, such as CRYPTREC, ISO/IEC, and NESSIE. In this paper, we propose a key recovery attack on the full MISTY1, i.e., we show that 8-round MISTY1 with 5 FL layers does not have 128-bit security. Many attacks against MISTY1 have been proposed, but there is no attack against the full MISTY1. Therefore, our attack is the first cryptanalysis against the full MISTY1. We construct a new integral characteristic by using the propagation characteristic of the division property, which was proposed in 2015. We first improve the division property by optimizing a public S-box and then construct a 6-round integral characteristic on MISTY1. Finally, we recover the secret key of the full MISTY1 with $2^{63.58}$ chosen plaintexts and 2^{121} time complexity. Moreover, if we can use $2^{63.994}$ chosen plaintexts, the time complexity for our attack is reduced to $2^{107.9}$. Note that our cryptanalysis is a theoretical attack. Therefore, the practical use of MISTY1 will not be affected by our attack.

Keywords: MISTY1, Integral attack, Division property

1 Introduction

MISTY [Mat97] is a block cipher designed by Matsui in 1997 and is based on the theory of provable security [Nyb94,NK95] against differential attack [BS90] and linear attack [Mat93]. MISTY has a recursive structure, and the component function has a unique structure, the so-called MISTY structure [Mat96]. There are two types of MISTY, MISTY1 and MISTY2. MISTY1 adopts the Feistel structure whose F-function is designed by the recursive MISTY structure. MISTY2 does not adopt the Feistel structure and uses only the MISTY structure. Both ciphers achieve provable security against differential and linear attacks. MISTY1 is designed for practical use, and MISTY2 is designed for experimental use.

MISTY1 is a 64-bit block cipher with 128-bit security, and it has a Feistel structure with FL layers, where the *FO* function is used in the F-function of the Feistel structure. The *FO* function is constructed by using the 3-round MISTY structure, where the *FI* function is used as the F-function of the MISTY structure. Moreover, the *FI* function is constructed by using the 3-round MISTY structure, where a 9-bit S-box S_9 and 7-bit S-box S_7 are used in the F-function. MISTY1 is the candidate recommended ciphers list of CRYPTREC [CRY13], and it is standardized by ISO/IEC 18033-3 [ISO05]. Moreover, it is a NESSIE-recommended cipher [NES04] and is described in RFC 2994 [OM00]. There are many existing attacks against MISTY1, and we summarize these attacks in Table 1. A higher-order differential attack is the most powerful attack against MISTY1, and this type of cryptanalysis was recently improved in [Bar15]. However, there is no attack against the full MISTY1, i.e., 8-round MISTY1 with 5 FL layers.

^{*} ©IACR 2015. This article is the full version of the article to appear in the proceedings of CRYPTO 2015.

Table 1. Summary of single secret-key attacks against MISTY1

Rounds	#FL layers	Attack algorithm	Data	Time	Reference
5	0	higher order differential	11×2^7 CP	2^{17}	[THK99]
5	3	SQUARE	2^{34} CP	2^{48}	[KW02]
5	4	higher order differential	2^{22} CP	2^{28}	[HTK04]
5	4	impossible differential	2^{38} CP	$2^{46.45}$	[DK08]
6	4	higher order differential	$2^{53.7}$ CP	$2^{53.7}$	[TSSK08]
6	4	impossible differential	2^{51} CP	$2^{123.4}$	[DK08]
7	0	impossible differential	$2^{50.2}$ KP	$2^{114.1}$	[DK08]
7	4	higher order differential	$2^{54.1}$ CP	$2^{120.7}$	[TSSK08]
7	4	higher order differential	$2^{50.1}$ CP	$2^{100.4}$	[Bar15]
7	5	higher order differential	$2^{51.4}$ CP	2^{121}	[Bar15]
8	5	integral by division property	$2^{63.58}$ CP	2^{121}	This paper
8	5	integral by division property	$2^{63.994}$ CP	$2^{107.9}$	This paper

Integral Attack The integral attack [KW02] was first proposed by Daemen et al. to evaluate the security of SQUARE [DKR97] and was then formalized by Knudsen and Wagner. There are two major techniques to construct an integral characteristic; one uses the propagation characteristic of integral properties [KW02], and the other estimates the algebraic degree [Knu94, Lai94]. We often call the second technique a “higher-order differential attack.” A new technique to construct integral characteristics was proposed in 2015 [Tod15], and it introduced a new property, the so-called “division property,” by generalizing the integral property [KW02]. It showed the propagation characteristic of the division property for any secret function restricted by an algebraic degree. As a result, several improved results were reported on the structural evaluation of the Feistel network and SPN.

Our Contribution In [Tod15], the focus is only on the secret S-box restricted by an algebraic degree. However, many realistic block ciphers use more efficient structures, e.g., a public S-box and a key addition. In this paper, we show that the division property becomes more useful if an S-box is a public function. Then, we apply our technique to the cryptanalysis on MISTY1. We first evaluate the propagation characteristic of the division property for public S-boxes S_7 and S_9 and show that S_7 has a vulnerable property. We next evaluate the propagation characteristic of the division property for the FI function and then evaluate that for the FO function. Moreover, we evaluate that for the FL layer. Finally, we create an algorithm to search for integral characteristics on MISTY1 by assembling these propagation characteristics. As a result, we can construct a new 6-round integral characteristic, where the left 7-bit value of the output is balanced. We recover the round key by using the partial-sum technique [FKL⁺00]. As a result, the secret key of the full MISTY1 can be recovered with $2^{63.58}$ chosen plaintexts and 2^{121} time complexity. Moreover, if we can use $2^{63.994}$ chosen plaintexts, the time complexity is reduced to $2^{107.9}$. Unfortunately, we have to use almost all chosen plaintexts, and recovering the secret key by using fewer chosen plaintexts is left as an open problem.

2 MISTY1

MISTY1 is a Feistel cipher whose F-function has the MISTY structure, and the recommended parameter is 8 rounds with 5 FL layers. Figure 1 shows the structure of MISTY1.




Fig. 1. Specification of MISTY1

Let X_i^L (resp. X_i^R) be the left half (resp. the right half) of an i -round input. Moreover, $X_i^L[j]$ (resp. $X_i^R[j]$) denotes the j th bit of X_i^L (resp. X_i^R) from the left. MISTY1 is a 64-bit block cipher, and the key-bit length is 128 bits. The component function FO_i consists of $FI_{i,1}$, $FI_{i,2}$, and $FI_{i,3}$, and the four 16-bit round keys $KO_{i,1}$, $KO_{i,2}$, $KO_{i,3}$, and $KO_{i,4}$ are used. The function $FI_{i,j}$ consists of S_9 and S_7 , and a 16-bit round key $KI_{i,j}$ is used. Here, S_9 and S_7 are defined in Appendix A. The component function FL_i uses two 16-bit round keys, $KL_{i,1}$ and $KL_{i,2}$. These round keys are calculated from the secret key (K_1, K_2, \dots, K_8) as

Symbol	$KO_{i,1}$	$KO_{i,2}$	$KO_{i,3}$	$KO_{i,4}$	$KI_{i,1}$	$KI_{i,2}$	$KI_{i,3}$	$KL_{i,1}$	$KL_{i,2}$
Key	K_i	K_{i+2}	K_{i+7}	K_{i+4}	K'_{i+5}	K'_{i+1}	K'_{i+3}	$K_{\frac{i+1}{2}} \text{ (odd } i)$ $K'_{\frac{i}{2}+2} \text{ (even } i)$	$K'_{\frac{i+1}{2}+6} \text{ (odd } i)$ $K_{\frac{i}{2}+4} \text{ (even } i)$

Here, K'_i is the output of $FI_{i,j}$ where the input is K_i and the key is K_{i+1} .

3 Integral Characteristic by Division Property

3.1 Notations

We make the distinction between the addition of \mathbb{F}_2^n and addition of \mathbb{Z} , and we use \oplus and $+$ as the addition of \mathbb{F}_2^n and addition of \mathbb{Z} , respectively. For any $a \in \mathbb{F}_2^n$, the i th element is expressed in $a[i]$, and the Hamming weight $w(a)$ is calculated as $w(a) = \sum_{i=1}^n a[i]$. Moreover, $a[i, \dots, j]$ denotes a bit string whose elements are values described into square brackets. Let $1^n \in \mathbb{F}_2^n$ be a value whose all elements are 1. Moreover, let $0^n \in \mathbb{F}_2^n$ be a value whose all elements are 0.

For any $\mathbf{a} \in (\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2} \times \cdots \times \mathbb{F}_2^{n_m})$, the vectorial Hamming weight of \mathbf{a} is defined as $W(\mathbf{a}) = (w(a_1), w(a_2), \dots, w(a_m)) \in \mathbb{Z}^m$. Moreover, for any $\mathbf{k} \in \mathbb{Z}^m$ and $\mathbf{k}' \in \mathbb{Z}^m$, we define $\mathbf{k} \succeq \mathbf{k}'$ if $k_i \geq k'_i$ for all i . Otherwise, $\mathbf{k} \not\succeq \mathbf{k}'$.

Boolean Function A Boolean function is a function from \mathbb{F}_2^n to \mathbb{F}_2 . Let $\deg(f)$ be the algebraic degree of a Boolean function f . Algebraic Normal Form (ANF) is often used as representations of the Boolean function. Let f be any Boolean function from \mathbb{F}_2^n to \mathbb{F}_2 , and it can be represented as

$$f(x) = \bigoplus_{u \in \mathbb{F}_2^n} a_u^f \left(\prod_{i=1}^n x[i]^{u[i]} \right),$$

where $a_u^f \in \mathbb{F}_2$ is a constant value depending on f and u . If $\deg(f)$ is at most d , all a_u^f satisfying $d < w(u)$ are 0. An n -bit S-box can be regarded as the collection of n Boolean functions. If algebraic degrees of n Boolean functions are at most d , we say the algebraic degree of the S-box is at most d .

3.2 Integral Attack

An integral attack is one of the most powerful cryptanalyses against block ciphers. Attackers prepare N chosen plaintexts and get the corresponding ciphertexts. If the XOR of all corresponding ciphertexts becomes 0, we say that the block cipher has an integral characteristic with N chosen plaintexts. In an integral attack, attackers first create an integral characteristic against a reduced-round block cipher. Then, they guess the round keys that are used in the last several rounds and calculate the XOR of the ciphertexts of the reduced-round block cipher. Finally, they evaluate whether or not the XOR becomes 0. If the XOR does not become 0, they can discard the guessed round keys from the candidates of the correct key.

3.3 Division Property

A division property, which was proposed in [Tod15], is used to search for integral characteristics. We first prepare a set of plaintexts and evaluate the division property of the set. Then, we propagate the division property and evaluate the division property of the set of texts encrypted over one round. By repeating the propagation, we show the division property of the set of texts encrypted over some rounds. Finally, we can easily determine the existence of the integral characteristic from the propagated division property.

Bit Product Function We first define two bit product functions π_u and $\pi_{\mathbf{u}}$, which are used to evaluate the division property of a multiset. Let $\pi_u : \mathbb{F}_2^n \rightarrow \mathbb{F}_2$ be a function for any $u \in \mathbb{F}_2^n$. Let $x \in \mathbb{F}_2^n$ be the input, and $\pi_u(x)$ is the AND of $x[i]$ satisfying $u[i] = 1$, i.e., it is defined as

$$\pi_u(x) := \prod_{i=1}^n x[i]^{u[i]}.$$

Let $\pi_{\mathbf{u}} : (\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2} \times \cdots \times \mathbb{F}_2^{n_m}) \rightarrow \mathbb{F}_2$ be a function for any $\mathbf{u} \in (\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2} \times \cdots \times \mathbb{F}_2^{n_m})$. Let $\mathbf{x} \in (\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2} \times \cdots \times \mathbb{F}_2^{n_m})$ be the input, and $\pi_{\mathbf{u}}(\mathbf{x})$ is defined as

$$\pi_{\mathbf{u}}(\mathbf{x}) := \prod_{i=1}^m \pi_{u_i}(x_i).$$

Definition of Division Property The division property is given against a multiset, and it is calculated by using the bit product function. Let \mathbb{X} be an input multiset whose elements take a value of $(\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2} \times \cdots \times \mathbb{F}_2^{n_m})$. In the division property, we first evaluate a value of $\bigoplus_{\mathbf{x} \in \mathbb{X}} \pi_{\mathbf{u}}(\mathbf{x})$ for all $\mathbf{u} \in (\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2} \times \cdots \times \mathbb{F}_2^{n_m})$. Then, we divide the set of \mathbf{u} into a subset whose evaluated value becomes 0 and a subset whose evaluated value becomes unknown¹. In [Tod15], the focus was on using the Hamming weight of elements of \mathbf{u} to divide the set.

Definition 1 (Division Property). Let \mathbb{X} be a multiset whose elements take a value of $(\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2} \times \cdots \times \mathbb{F}_2^{n_m})$, and \mathbf{k} is an m -dimensional vector whose i th element takes a value between 0 and n_i . When the multiset \mathbb{X} has the division property $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{n_1, n_2, \dots, n_m}$, it fulfils the following conditions: The parity of $\pi_{\mathbf{u}}(\mathbf{x})$ over all $\mathbf{x} \in \mathbb{X}$ is always even when

$$\mathbf{u} \in \left\{ (u_1, \dots, u_m) \in (\mathbb{F}_2^{n_1} \times \cdots \times \mathbb{F}_2^{n_m}) \mid W(\mathbf{u}) \not\equiv \mathbf{k}^{(1)}, \dots, W(\mathbf{u}) \not\equiv \mathbf{k}^{(q)} \right\}.$$

Moreover, the parity becomes unknown when \mathbf{u} is used such that there exists an i ($1 \leq i \leq q$) satisfying $W(\mathbf{u}) \succeq \mathbf{k}^{(i)}$.

Assume that the multiset \mathbb{X} has the division property $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{n_1, n_2, \dots, n_m}$. If there exist $\mathbf{k}^{(i)}$ such that $k_j^{(i)}$ is greater than 1, $\bigoplus_{\mathbf{x} \in \mathbb{X}} x_j$ becomes 0. See [Tod15] to better understand the concept in detail.

Example 1. Let \mathbb{X} be a multiset whose elements take a value of $(\mathbb{F}_2^8 \times \mathbb{F}_2^8)$. Assume that the multiset \mathbb{X} has the division property $\mathcal{D}_{[1,5],[3,3],[4,5],[5,1],[6,0]}^{8,8}$. In this case, if (u_1, u_2) is chosen from the gray part in Fig 2, $\bigoplus_{(x_1, x_2) \in \mathbb{X}} \pi_{(u_1, u_2)}(x_1, x_2)$ becomes unknown. For example, when $(u_1, u_2) = (6, 6)$ is used, we cannot determine $\bigoplus_{(x_1, x_2) \in \mathbb{X}} \pi_{(u_1, u_2)}(x_1, x_2)$. On the other hand, if (u_1, u_2) is chosen from the white part in Fig 2, $\bigoplus_{(x_1, x_2) \in \mathbb{X}} \pi_{(u_1, u_2)}(x_1, x_2)$ is 0. Notice that the division property $\mathcal{D}_{[1,5],[3,3],[5,1],[6,0]}^{8,8}$ is the same as $\mathcal{D}_{[1,5],[3,3],[4,5],[5,1],[6,0]}^{8,8}$ because the unknown space is invariant.

Similar example is shown in [SHZ⁺15], and it helps us understand the division property.

Propagation Rules of Division Property Some propagation rules for the division property are proven in [Tod15]. We summarize them as follows, and the proof is shown in Appendix B.

Rule 1 (Substitution) Let F be a function that consists of m S-boxes, where the bit length and the algebraic degree of the i th S-box is n_i bits and d_i , respectively. The input and the output take a value of $(\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2} \times \cdots \times \mathbb{F}_2^{n_m})$, and \mathbb{X} and \mathbb{Y} denote

¹ If we know all accurate values in a multiset, we can divide the set of \mathbf{u} into subsets whose evaluated value becomes 0 or 1. However, in the application to cryptanalysis, we evaluate the values in the multiset whose elements are texts encrypted for several rounds. Such elements change depending on the sub keys and the constant bit of plaintexts. Therefore, we consider the subset whose evaluated value becomes 0 or unknown.




Fig. 2. Division Property $\mathcal{D}_{[1,5],[3,3],[5,1],[6,0]}^{8,8}$.

the input multiset and the output multiset, respectively. Assuming that the multiset \mathbb{X} has the division property $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{n_1, n_2, \dots, n_m}$, the division property of the multiset \mathbb{Y} is $\mathcal{D}_{\mathbf{k}'^{(1)}, \mathbf{k}'^{(2)}, \dots, \mathbf{k}'^{(q)}}^{n_1, n_2, \dots, n_m}$ as

$$k_i'^{(j)} = \left\lceil \frac{k_i^{(j)}}{d_i} \right\rceil \quad \text{for } 1 \leq i \leq m, \ 1 \leq j \leq q.$$

Rule 2 (Copy) Let F be a copy function, where the input x takes a value of \mathbb{F}_2^n and the output is calculated as $(y_1, y_2) = (x, x)$. Let \mathbb{X} and \mathbb{Y} be the input multiset and output multiset, respectively. Assuming that the multiset \mathbb{X} has the division property \mathcal{D}_k^n , the division property of the multiset \mathbb{Y} is $\mathcal{D}_{\mathbf{k}'^{(1)}, \mathbf{k}'^{(2)}, \dots, \mathbf{k}'^{(k+1)}}^{n, n}$ as

$$k'^{(i+1)} = (k - i, i) \quad \text{for } 0 \leq i \leq k.$$

Rule 3 (Compression by XOR) Let F be a function compressed by an XOR, where the input (x_1, x_2) takes a value of $(\mathbb{F}_2^n \times \mathbb{F}_2^n)$ and the output is calculated as $y = x_1 \oplus x_2$. Let \mathbb{X} and \mathbb{Y} be the input multiset and output multiset, respectively. Assuming that the multiset \mathbb{X} has the division property $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{n, n}$, the division property of the multiset \mathbb{Y} is $\mathcal{D}_{k'}^n$ as

$$k' = \min\{k_1^{(1)} + k_2^{(1)}, k_1^{(2)} + k_2^{(2)}, \dots, k_1^{(q)} + k_2^{(q)}\}.$$

Here, if the minimum value of k' is larger than n , the propagation characteristic of the division property is aborted. Namely, a value of $\bigoplus_{y \in \mathbb{Y}} \pi_v(y)$ is 0 for all $v \in \mathbb{F}_2^n$.

Rule 4 (Split) Let F be a split function, where the input x takes a value of \mathbb{F}_2^n and the output is calculated as $x = y_1 \| y_2$, where (y_1, y_2) takes a value of $(\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n-n_1})$. Let \mathbb{X} and \mathbb{Y} be the input multiset and output multiset, respectively. Assuming that the multiset \mathbb{X} has the division property \mathcal{D}_k^n , the division property of the multiset \mathbb{Y} is $\mathcal{D}_{\mathbf{k}'^{(1)}, \mathbf{k}'^{(2)}, \dots, \mathbf{k}'^{(q)}}^{n_1, n-n_1}$ as

$$\mathbf{k}'^{(i+1)} = (k - i, i) \quad \text{for } 0 \leq i \leq k.$$

Here, $(k - i)$ is less than or equal to n_1 , and i is less than or equal to $n - n_1$.




Fig. 3. The difference between [Tod15] and us. The left figure is an assumption used in [Tod15]. The right one is a new assumption used in this paper.

Rule 5 (Concatenation) Let F be a concatenation function, where the input (x_1, x_2) takes a value of $(\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2})$ and the output is calculated as $y = x_1 \| x_2$. Let \mathbb{X} and \mathbb{Y} be the input multiset and output multiset, respectively. Assuming that the multiset \mathbb{X} has the division property $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{n_1, n_2}$, the division property of the multiset \mathbb{Y} is $\mathcal{D}_{\mathbf{k}'}^{n_1 + n_2}$ as

$$k' = \min\{k_1^{(1)} + k_2^{(1)}, k_1^{(2)} + k_2^{(2)}, \dots, k_1^{(q)} + k_2^{(q)}\}.$$

4 Division Property for Public Function

In an assumption of [Tod15], attackers cannot know the specification of an S-box and only know the algebraic degree of the S-box. However, many specific block ciphers usually use a public S-box and an addition of secret sub keys, where an XOR is especially used for the addition. In this paper, we show that the propagation characteristic of the division property can be improved if an S-box is a public function. The difference between [Tod15] and us is shown in Fig. 3.

We consider the propagation characteristic of the division property against the function shown in the right figure in Fig. 3. The key XORing first be applied, but it does not affect the division property because it is a linear function. Therefore, when we evaluate the propagation characteristic of the division property, we can remove the key XORing. Next, a public S-box is applied, and we can determine the ANF of the S-box. Assuming that an S-box is a function from n bits to m bits, the ANF is represented as

$$\begin{aligned} y[1] &= f_1(x[1], x[2], \dots, x[n]), \\ y[2] &= f_2(x[1], x[2], \dots, x[n]), \\ &\vdots \\ y[m] &= f_m(x[1], x[2], \dots, x[n]), \end{aligned}$$

where $x[i]$ ($1 \leq i \leq n$) is an input, $y[j]$ ($1 \leq j \leq m$) is an output, and f_j ($1 \leq j \leq m$) is a Boolean function. The division property evaluates the input multiset and output one by using the bit product function π_u , and we then divide the set of u into a subset whose evaluated value becomes 0 and a subset whose evaluated value becomes unknown. Namely, we evaluate the equation

$$F_u(x[1], x[2], \dots, x[n]) = \prod_{i=1}^m f_i(x[1], x[2], \dots, x[n])^{u[i]}$$

and divide the set of u . In [Tod15], a fundamental property of the product of some functions is used, i.e., the algebraic degree of F_u is at most $w(u) \times d$ if the algebraic degree of functions f_i is at most d . However, since we now know the ANF of functions f_1, f_2, \dots, f_m , we can

calculate the accurate algebraic degree of F_u for all $u \in \mathbb{F}_2^n$. In this case, if the algebraic degree of F_u is less than $w(u) \times d$ for all u for which $w(u)$ is constant, we can improve the propagation characteristic.

4.1 Application to MISTY S-boxes

Evaluation of S_7 The S_7 of MISTY is a 7-bit S-box with degree 3. We show the ANF of S_7 in Appendix A. We evaluate the property of $(\pi_v \circ S_7)$ to get the propagation characteristic of the division property. The algebraic degree of $(\pi_v \circ S_7)$ increases in accordance with the Hamming weight of v , and it is summarized as follows.

$w(v)$	0	1	2	3	4	5	6	7
degree	0	3	5	5	6	6	6	7

If we replace the S_7 with a modified S-box, which is randomly chosen from all 7-bit S-boxes with degree 3, the algebraic degree of $(\pi_v \circ S)$ is at least 6 with $w(v) \geq 2$. However, for the S_7 , the increment of the algebraic degree is bounded by 5 with $w(v) = 2$ or $w(v) = 3$ holds². Thus, the propagation characteristic is represented as the following.

\mathcal{D}_k^7 for input set \mathbb{X}	\mathcal{D}_0^7	\mathcal{D}_1^7	\mathcal{D}_2^7	\mathcal{D}_3^7	\mathcal{D}_4^7	\mathcal{D}_5^7	\mathcal{D}_6^7	\mathcal{D}_7^7
\mathcal{D}_k^7 for output set \mathbb{Y}	\mathcal{D}_0^7	\mathcal{D}_1^7	\mathcal{D}_1^7	\mathcal{D}_1^7	\mathcal{D}_2^7	\mathcal{D}_2^7	\mathcal{D}_4^7	\mathcal{D}_7^7

Notice that the division property \mathcal{D}_4^7 is propagated from the division property \mathcal{D}_6^7 . Assuming that the modified S-box is applied, the division property \mathcal{D}_2^7 is propagated from the division property \mathcal{D}_6^7 [Tod15]. Therefore, the deterioration of the division property for the S_7 is smaller than that for any 7-bit S-box.

Evaluation of S_9 The S_9 of MISTY is a 9-bit S-box with degree 2. We show the ANF of S_7 in Appendix A. We evaluate the property of $(\pi_v \circ S_9)$ to get the propagation characteristic of the division property. The algebraic degree of $(\pi_v \circ S_9)$ increases in accordance with the Hamming weight of v , and it is summarized as follows.

$w(v)$	0	1	2	3	4	5	6	7	8	9
degree	0	2	4	6	8	8	8	8	8	9


Thus, the propagation characteristic is represented as

\mathcal{D}_k^9 for input set \mathbb{X}	\mathcal{D}_0^9	\mathcal{D}_1^9	\mathcal{D}_2^9	\mathcal{D}_3^9	\mathcal{D}_4^9	\mathcal{D}_5^9	\mathcal{D}_6^9	\mathcal{D}_7^9	\mathcal{D}_8^9	\mathcal{D}_9^9
\mathcal{D}_k^9 for output set \mathbb{Y}	\mathcal{D}_0^9	\mathcal{D}_1^9	\mathcal{D}_1^9	\mathcal{D}_2^9	\mathcal{D}_2^9	\mathcal{D}_3^9	\mathcal{D}_3^9	\mathcal{D}_4^9	\mathcal{D}_4^9	\mathcal{D}_9^9

Unlike the propagation characteristic of the division property for S_7 , that for S_9 is the same as that for any 9-bit S-box with degree 2.

5 New Integral Characteristic

This section shows how to create integral characteristics on MISTY1 by using the propagation characteristic of the division property. We first evaluate the propagation characteristic for the component functions of MISTY1, i.e., the FI function, the FO function, and the FL layer. Finally, by assembling these characteristics, we create an algorithm to search for integral characteristics on MISTY1.

Fig. 4. Structure of FI function

5.1 Division Property for FI function

We evaluate the propagation characteristic of the division property for the FI function by using those for MISTY S-boxes shown in Sect. 4.1. Since there are a zero-extended XOR and a truncated XOR in the FI function, we use a new representation, in which the internal state is expressed in two 7-bit values and one 2-bit value. Figure 4 shows the structure of the FI function with our representation, where we remove the XOR of sub keys because it does not affect the division property.

Let \mathbb{X}_1 be the input multiset of the FI function. We define every multiset $\mathbb{X}_2, \mathbb{X}_3, \dots, \mathbb{X}_{11}$ in Fig. 4. Here, elements of the multiset $\mathbb{X}_1, \mathbb{X}_5, \mathbb{X}_6$, and \mathbb{X}_{11} take a value of $(\mathbb{F}_2^7 \times \mathbb{F}_2^2 \times \mathbb{F}_2^7)$. Elements of the multiset $\mathbb{X}_2, \mathbb{X}_3, \mathbb{X}_8$, and \mathbb{X}_9 take a value of $(\mathbb{F}_2^9 \times \mathbb{F}_2^7)$. Elements of the multiset $\mathbb{X}_4, \mathbb{X}_7$, and \mathbb{X}_{10} take a value of $(\mathbb{F}_2^2 \times \mathbb{F}_2^7 \times \mathbb{F}_2^7)$. Since elements of \mathbb{X}_1 and \mathbb{X}_{11} take a value of $(\mathbb{F}_2^7 \times \mathbb{F}_2^2 \times \mathbb{F}_2^7)$, the propagation for the FI function is calculated on $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7}$. Here, the propagation is calculated with the following steps.

- From \mathbb{X}_1 to \mathbb{X}_2 :** A 9-bit value is created by concatenating the first 7-bit value with the second 2-bit value. The propagation characteristic can be evaluated by using Rule 5.
- From \mathbb{X}_2 to \mathbb{X}_3 :** The 9-bit S-box S_9 is applied to the first 9-bit value. The propagation characteristic can be evaluated by using Rule 1.
- From \mathbb{X}_3 to \mathbb{X}_4 :** The 9-bit output value is split into a 2-bit value and a 7-bit value. The propagation characteristic can be evaluated by using Rule 4.
- From \mathbb{X}_4 to \mathbb{X}_5 :** The second 7-bit value is XORed with the last 7-bit value, and then, the order is rotated. The propagation characteristic can be evaluated by using Rule 2 and Rule 3.
- From \mathbb{X}_5 to \mathbb{X}_6 :** The 7-bit S-box S_7 is applied to the first 7-bit value. The propagation characteristic can be evaluated by using Rule 1.
- From \mathbb{X}_6 to \mathbb{X}_7 :** The first 7-bit value is XORed with the last 7-bit value, and then, the order is rotated. The propagation characteristic can be evaluated by using Rule 2 and Rule 3.
- From \mathbb{X}_7 to \mathbb{X}_8 :** A 9-bit value is created by concatenating the first 2-bit value with the second 7-bit value. The propagation characteristic can be evaluated by using Rule 5.
- From \mathbb{X}_8 to \mathbb{X}_{11} :** The propagation characteristic is the same as that from \mathbb{X}_2 to \mathbb{X}_5 .

As an example, we show the propagation characteristic when \mathbb{X}_1 has the division property $\mathcal{D}_{[4,2,6]}^{7,2,7}$ in Appendix E. Algorithm 1 creates the propagation characteristic table for the FI function. It calls **SizeReduce**, where redundant elements are eliminated, i.e., it eliminates $\mathbf{k}^{(i)}$ if there exists j satisfying $\mathbf{k}^{(i)} \succeq \mathbf{k}^{(j)}$. Algorithm 1 only creates the propagation characteristic table for which the input property is represented by $\mathcal{D}_{\mathbf{k}}^{7,2,7}$. If any input multiset

² This observation was also provided by Theorem 3.1 in [BC13].

Algorithm 1 Propagation for FI function


```

1: procedure FIEval( $k_1, k_2, k_3$ )
2:    $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)} \leftarrow \text{S9Eval}(\mathbf{k})$   $\triangleright \mathbb{X}_1 \rightarrow \mathbb{X}_5$ 
3:    $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)} \leftarrow \text{S7Eval}(\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)})$   $\triangleright \mathbb{X}_5 \rightarrow \mathbb{X}_7$ 
4:    $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)} \leftarrow \text{S9Eval}(\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)})$   $\triangleright \mathbb{X}_7 \rightarrow \mathbb{X}_{11}$ 
5:   return SizeReduce( $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ )
6: end procedure

1: procedure S9Eval( $\mathbf{k}^{(1)}, \dots, \mathbf{k}^{(q)}$ )
2:    $q' \leftarrow 0$ 
3:   for  $i \leftarrow 1$  to  $q$  do
4:      $(\ell, c, r) \leftarrow (k_1^{(i)}, k_2^{(i)}, k_3^{(i)})$ 
5:      $k \leftarrow \ell + c$ 
6:     if  $k < 9$  then
7:        $k \leftarrow \lceil k/2 \rceil$ 
8:     end if
9:     for  $c' \leftarrow 0$  to  $\min(2, k)$  do
10:      for  $x \leftarrow 0$  to  $r$  do
11:         $\ell' \leftarrow r - x$ 
12:         $r' \leftarrow k - c' + x$ 
13:        if  $r' \leq 7$  then
14:           $q' \leftarrow q' + 1$ 
15:           $\mathbf{k}'^{(q')} \leftarrow (\ell', c', r')$ 
16:        end if
17:      end for
18:    end for
19:  end for
20:  return  $\mathbf{k}'^{(1)}, \mathbf{k}'^{(2)}, \dots, \mathbf{k}'^{(q')}$ 
21: end procedure

22: procedure S7Eval( $\mathbf{k}^{(1)}, \dots, \mathbf{k}^{(q)}$ )
23:    $q' \leftarrow 0$ 
24:   for  $i \leftarrow 1$  to  $q$  do
25:      $(\ell, c, r) \leftarrow (k_1^{(i)}, k_2^{(i)}, k_3^{(i)})$ 
26:      $k \leftarrow \ell$ 
27:     if  $k = 6$  then
28:        $k \leftarrow 4$ 
29:     else if  $k < 6$  then
30:        $k \leftarrow \lceil k/3 \rceil$ 
31:     end if
32:     for  $x \leftarrow 0$  to  $r$  do
33:        $\ell' \leftarrow c$ 
34:        $c' \leftarrow r - x$ 
35:        $r' \leftarrow k + x$ 
36:       if  $r' \leq 7$  then
37:          $q' \leftarrow q' + 1$ 
38:          $\mathbf{k}'^{(q')} \leftarrow (\ell', c', r')$ 
39:       end if
40:     end for
41:   end for
42:   return  $\mathbf{k}'^{(1)}, \mathbf{k}'^{(2)}, \dots, \mathbf{k}'^{(q')}$ 
43: end procedure

```

**Fig. 5.** Structure of FO function

is evaluated, we need to know the propagation characteristic of $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7}$. However, we do not evaluate such propagation in advance because it can easily be evaluated by the table for which the input property is represented by $\mathcal{D}_{\mathbf{k}}^{7,2,7}$. We show all propagation characteristic tables in Appendix G. Moreover, we experimentally search for the propagation characteristic (see Appendix F).

5.2 Division Property for FO function

We next evaluate the propagation characteristic of the division property for the FO function by using the propagation characteristic table of the FI function. Figure 5 shows the structure of the FO function, where we remove the XOR of sub keys because it does not affect the division property. The input and output of the FO function take the value of $(\mathbb{F}_2^7 \times \mathbb{F}_2^2 \times \mathbb{F}_2^7 \times \mathbb{F}_2^7 \times \mathbb{F}_2^2 \times \mathbb{F}_2^7)$. Therefore, the propagation for the FO function is calculated on $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7,7,2,7}$.

Algorithm 2 Propagation for FO function

```

1: procedure FOEval( $k_1, k_2, k_3, k_4, k_5, k_6$ )
2:    $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)} \leftarrow \text{FORound}(\mathbf{k})$ 
3:    $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)} \leftarrow \text{FORound}(\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)})$ 
4:    $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)} \leftarrow \text{FORound}(\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)})$ 
5:   return SizeReduce( $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ )
6: end procedure
1: procedure FORound( $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ )
2:    $q' \leftarrow 0$ 
3:   for  $i = 1$  to  $q$  do
4:      $\mathbf{y}^{(1)}, \mathbf{y}^{(2)}, \dots, \mathbf{y}^{(q_y)} \leftarrow \text{FIEval}(k_1^{(i)}, k_2^{(i)}, k_3^{(i)})$ 
5:     for  $j = 1$  to  $q_y$  do
6:       for all  $\mathbf{x}$  s.t.  $(x_1 \leq k_4^{(i)}) \wedge (x_2 \leq k_5^{(i)}) \wedge (x_3 \leq k_6^{(i)})$  do
7:          $\mathbf{k}' \leftarrow (k_4^{(i)} - x_1, k_5^{(i)} - x_2, k_6^{(i)} - x_3, y_1^{(j)} + x_1, y_2^{(j)} + x_2, y_3^{(j)} + x_3)$ 
8:         if  $(k_4' \leq 7) \wedge (k_5' \leq 2) \wedge (k_6' \leq 7)$  then
9:            $q' \leftarrow q' + 1$ 
10:           $\mathbf{k}'^{(q')} \leftarrow \mathbf{k}'$ 
11:        end if
12:      end for
13:    end for
14:  end for
15:  return  $\mathbf{k}'^{(1)}, \mathbf{k}'^{(2)}, \dots, \mathbf{k}'^{(q')}$ 
16: end procedure

```

Similar to that for the FI function, we create the propagation characteristic table for the FO function (see Algorithm 2). We create only a table for which the input property is represented by $\mathcal{D}_{\mathbf{k}}^{7,2,7,7,2,7}$ and the output property is represented by $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7,7,2,7}$. As an example, the propagation characteristic table from $\mathcal{D}_{[1,1,2,3,1,5]}^{7,2,7,7,2,7}$ is shown in Appendix H.

5.3 Division Property for FL Layer

MISTY1 has the FL layer, which consists of two FL functions and is applied once every two rounds. In the FL function, the right half of the input is XORed with the AND between the left half and a sub key $KL_{i,1}$. Then, the left half of the input is XORed with the OR between the right half and a sub key $KL_{i,2}$.

Since the input and the output of the FL function take the value of $\mathbb{F}_2^7 \times \mathbb{F}_2^2 \times \mathbb{F}_2^7 \times \mathbb{F}_2^7 \times \mathbb{F}_2^2 \times \mathbb{F}_2^7$, the propagation for the FL function is calculated on $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7,7,2,7}$. FIEval in Algorithm 3 calculates the propagation characteristic table for the FL function, where SizeReduce eliminates $\mathbf{k}^{(i)}$ if there exists j satisfying $\mathbf{k}^{(i)} \succeq \mathbf{k}^{(j)}$. Moreover, the FL layer consists of two FL functions. Therefore, we have to consider the propagation characteristic of the division property $\mathcal{D}_{\mathbf{k}}^{7,2,7,7,2,7,2,7,7,2,7,7}$, where each FL function is applied to the left half and the right one. FLayerEval in Algorithm 3 calculates the propagation characteristic of the division property for the FL layer.

5.4 Path Search for Integral Characteristic on MISTY1

We created the propagation characteristic table for the FI and FO functions in Sect. 5.1 and 5.2, respectively. Moreover, we showed the propagation characteristic for the FL layer in Sect. 5.3. By assembling these propagation characteristics, we create an algorithm to search for integral characteristics on MISTY1. Since the input and the output are represented as eight 7-bit values and four 2-bit values, the propagation is calculated on $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7,7,2,7,7,2,7,7}$.

Algorithm 3 Propagation for FL layer

```

1: procedure FlEval( $k_1, k_2, \dots, k_6$ )
2:    $q' \leftarrow 0$ 
3:    $(\ell, c, r) \leftarrow (k_1 + k_4, k_2 + k_5, k_3 + k_6)$ 
4:   for  $k'_1 \leftarrow 0$  to  $\min(7, \ell)$  do
5:     for  $k'_2 \leftarrow 0$  to  $\min(2, c)$  do
6:       for  $k'_3 \leftarrow 0$  to  $\min(7, r)$  do
7:          $(k'_4, k'_5, k'_6) \leftarrow (\ell - k'_1, c - k'_2, r - k'_3)$ 
8:         if  $(k'_4 \leq 7) \wedge (k'_5 \leq 2) \wedge (k'_6 \leq 7)$  then
9:            $q' \leftarrow q' + 1$ 
10:           $\mathbf{k}'^{(q')} \leftarrow (k'_1, k'_2, k'_3, k'_4, k'_5, k'_6)$ 
11:        end if
12:      end for
13:    end for
14:  end for
15:  return SizeReduce( $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q')}$ )
16: end procedure

1: procedure FLLayerEval( $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ )
2:    $q' \leftarrow 0$ 
3:   for  $i \leftarrow 1$  to  $q$  do
4:      $\ell^{(1)}, \ell^{(2)}, \dots, \ell^{(q_\ell)} \leftarrow \text{FlEval}(k_1^{(i)}, k_2^{(i)}, \dots, k_6^{(i)})$ 
5:      $r^{(1)}, r^{(2)}, \dots, r^{(q_r)} \leftarrow \text{FlEval}(k_7^{(i)}, k_8^{(i)}, \dots, k_{12}^{(i)})$ 
6:     for  $j \leftarrow 1$  to  $q_\ell$  do
7:       for  $j' \leftarrow 1$  to  $q_r$  do
8:          $q' \leftarrow q' + 1$ 
9:          $\mathbf{k}'^{(q')} \leftarrow (\ell_1^{(j)}, \ell_2^{(j)}, \ell_3^{(j)}, \ell_4^{(j)}, \ell_5^{(j)}, \ell_6^{(j)}, r_1^{(j')}, r_2^{(j')}, r_3^{(j')}, r_4^{(j')}, r_5^{(j')}, r_6^{(j')})$ 
10:      end for
11:    end for
12:  end for
13:  return ( $\mathbf{k}'^{(1)}, \mathbf{k}'^{(2)}, \dots, \mathbf{k}'^{(q')}$ )
14: end procedure

```

The FL layer is first applied to plaintexts, and it deteriorates the propagation of the division property. Therefore, we first remove only the first FL layer and search for integral characteristics on MISTY1 without the first FL layer. The method for passing through the first FL layer is shown in the next paragraph. Algorithm 4 shows the search algorithm for integral characteristics on MISTY1 without the first FL layer. The straightforward implementation requires impractical calculation time because the perfect processing of **SizeReduce** requires $O(q'^2)$ time complexity. Notice that the result of Algorithm 4 does not change even if we do not perform **SizeReduce**. Therefore, we roughly but fast perform **SizeReduce**. Since the excessive rough **SizeReduce** causes redundant processing in the next round, we have to search for efficient degree of roughness.

As a result, we can construct 6-round integral characteristics without the first and last FL layers. Each characteristic uses 2^{63} chosen plaintexts, where any one bit of the first seven bits is constant and the others take all values. Appendix C shows the propagation characteristic of the division property. Figure 6 shows the 6-round integral characteristic, where the bit strings labeled B , i.e., the first 7 bits and last 32 bits, are balanced. Notice that the 6-round characteristic becomes a 7-round characteristic if the FL layer that is inserted after the 6th round is removed. Compared with the previous 4-round characteristic [HTK04, TSSK08], our characteristic is improved by two rounds.

Algorithm 4 Path search for r -round characteristics without first FL layer

```

1: procedure RoundFuncEval( $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ )
2:    $q' = 0$ 
3:   for  $i \leftarrow 1$  to  $q$  do
4:     for all  $\mathbf{x}$  s.t.  $x_j \leq k_j^{(i)}$  for all  $j = 1, 2, \dots, 6$  do
5:        $(r_1, r_2, r_3) \leftarrow (k_1^{(i)} - x_1, k_2^{(i)} - x_2, k_3^{(i)} - x_3)$ 
6:        $(r_4, r_5, r_6) \leftarrow (k_4^{(i)} - x_4, k_5^{(i)} - x_5, k_6^{(i)} - x_6)$ 
7:        $\mathbf{y}^{(1)}, \mathbf{y}^{(2)}, \dots, \mathbf{y}^{(q_y)} \leftarrow \text{FOEval}(x_1, x_2, x_3, x_4, x_5, x_6)$ 
8:       for  $i' \leftarrow 1$  to  $q_y$  do
9:          $(\ell_1, \ell_2, \ell_3) \leftarrow (k_7^{(i)} + y_1^{(i')}, k_8^{(i)} + y_2^{(i')}, k_9^{(i)} + y_3^{(i')})$ 
10:         $(\ell_4, \ell_5, \ell_6) \leftarrow (k_{10}^{(i)} + y_4^{(i')}, k_{11}^{(i)} + y_5^{(i')}, k_{12}^{(i)} + y_6^{(i')})$ 
11:        if  $\ell_{j'} \leq 7$  for  $j' \in \{1, 3, 4, 6\}$  and  $\ell_{j'} \leq 2$  for  $j' \in \{2, 5\}$  then
12:           $q' \leftarrow q' + 1$ 
13:           $\mathbf{k}'^{(q')} \leftarrow (\ell_1, \ell_2, \ell_3, \ell_4, \ell_5, \ell_6, r_1, r_2, r_3, r_4, r_5, r_6)$ 
14:        end if
15:      end for
16:    end for
17:  end for
18:  return SizeReduce( $\mathbf{k}'^{(1)}, \mathbf{k}'^{(2)}, \dots, \mathbf{k}'^{(q')}$ )
19: end procedure





1: procedure Misty1Eval( $k_1, k_2, \dots, k_{12}, r$ )
2:    $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)} \leftarrow \text{RoundFuncEval}(\mathbf{k})$  ▷ 1st round
3:   for  $i = 1$  to  $r$  do
4:     if  $i$  is even then
5:        $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)} \leftarrow \text{FLayerEval}(\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)})$  ▷ FL Layer
6:     end if
7:      $\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)} \leftarrow \text{RoundFuncEval}(\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)})$  ▷ (i+1)th round
8:   end for
9: end procedure

```

As shown in Sect. 4, the S_7 of MISTY1 has the vulnerable property that \mathcal{D}_4^7 is provided from \mathcal{D}_6^7 . Interestingly, assuming that S_7 does not have this property (change lines 27–31 in `S7Eval`), our algorithm cannot construct the 6-round characteristic.

We already know that MISTY1 has the 14th order differential characteristic, which is shown in [THK99], and the principle was also discussed in [BF00, CV02]. We also evaluate the principle of the characteristic by using the propagation characteristic of the division property. As a result, we confirm that the characteristic always exists if each algebraic degree S_9 and S_7 is 2 and 3, respectively. This result implies that the existence of the 14th order differential characteristic is only derived from the algebraic degree of S-boxes. Namely, even if different S-boxes are chosen in S_7 and S_9 , the 14th order differential characteristic exists unless the algebraic degree increases. The detail is discussed in Appendix D.

Passage of First FL Layer Our new characteristic removes the first FL layer. Therefore, we have to create a set of chosen plaintexts to construct integral characteristics by using guessed round keys $KL_{1,1}$ and $KL_{1,2}$. Here, we have to carefully choose the set of chosen plaintexts to avoid the use of the full code book (see Fig. 7, Fig. 8, and Fig. 9). In every figure, A_i denotes for which we prepare an input set that i bits are active. As an example, we consider an integral characteristic for which the first one bit is constant and the remaining 63 bits are active. Since all bits of the right half are active, we focus only on the left half. We first guess that $KL_{1,2}[1] = 1$, and we then prepare the set of plaintexts like in Fig. 7. We next guess that $(KL_{1,1}[1], KL_{1,2}[1]) = (0, 0)$, and we then prepare the set of

**Fig. 6.** New 6-round integral characteristic**Fig. 7.** $KL_{1,2} = 1$ **Fig. 8.** $KL_{1,1} = 0, KL_{1,2} = 0$ **Fig. 9.** $KL_{1,1} = 1, KL_{1,2} = 0$

plaintexts like in Fig. 8. Moreover, we guess that $(KL_{1,1}[1], KL_{1,2}[1]) = (1, 0)$, and we then prepare the set of plaintexts like in Fig. 9. Their chosen plaintexts construct 6-round integral characteristics if the guessed key bits are correct. Notice that we do not use 2^{62} chosen plaintexts as $(1A_{15} \ 1A_{15} \ A_{16} \ A_{16})$. Thus, our integral characteristics use $2^{64} - 2^{62} \approx 2^{63.58}$ chosen plaintexts.

6 Key Recovery Using New Integral Characteristic

This section shows the key recovery step of our cryptanalysis, which uses the 6-round integral characteristic shown in Sect. 5. In the characteristic, the left 7-bit value of X_7^L is balanced. To evaluate this balanced seven bits, we have to calculate two FL layers and one FO function by using the guessed round keys. Figure 10 shows the structure of our key recovery step.

6.1 Sub Key Recovery Using Partial-Sum Technique

We guess $KL_{1,1}[i](= K_1[i])$ and $KL_{1,2}[i](= K'_7[i])$ and then prepare a set of chosen plaintexts to construct an integral characteristic. In the characteristic, seven bits $X_7^L[1, \dots, 7]$ are balanced. Therefore, we evaluate whether or not $X_7^L[j]$ is balanced for $j \in \{1, 2, \dots, 7\}$ by using a partial-sum technique [FKL⁺00].

In the first step, we store the frequency of 34 bits $(C^L, C^R[j, 16 + j])$ into a voting table for $j \in \{1, 2, \dots, 7\}$. Then, we partially guess round keys, discard the size of the voting table,




Fig. 10. Key recovery step

Table 2. Procedure of key recovery step

Step	Guessed key	#guessed total bits	New value	Discarded values	#texts	Values in set	Complexity
1		0			2^{34}	$C^L, C^R[j, 16+j]$	
2	K_1, K_7'	32	X_9^R	C^L	2^{34}	$X_9^R, C^R[j, 16+j]$	$2^{34+32} = 2^{66}$
3	K_8, K_5'	64	D_1	$X_9^R[1, \dots, 16]$	2^{34}	$D_1, X_9^R[17, \dots, 32], C^R[j, 16+j]$	$2^{34+64} = 2^{98}$
4	$K_3'[j], (K_7)$	65	$D_2[j]$	D_1 w/o $D_1[j]$	2^{20}	$D_1[j], D_2[j], X_9^R[17, \dots, 32], C^R[j, 16+j]$	$2^{34+65} = 2^{99}$
5	$K_2, (K_1')$	81	$D_3[j]$	$X_9^R[17, \dots, 32], D_1[j]$	2^4	$D_2[j], D_3[j], C^R[j, 16+j]$	$2^{20+81} = 2^{101}$
6	$K_5[j], K_2'[j]$	83	$X_7^L[j]$	$D_2[j], D_3[j], C^R[j, 16+j]$	2^1	$X_7^L[j]$	$2^{4+83} = 2^{87}$

and calculate the XOR of $X_7^L[j]$. Table 2 summarizes the procedure of the key recovery step, where every value is defined in Fig. 10.

Step 1 Prepare the memory that stores how many times each 34-bit value ($C^L, C^R[j, 16+j]$) appears, and pick the values that appear odd times.

Step 2 Guess 32-bit (K_1, K_7'), and calculate X_9^R from C^L . Delete C^L from the memory, and store X_9^R into the memory. Namely, there are 34-bit value ($X_9^R, C^R[j, 16+j]$) in the memory. The time complexity of Step 2 is $2^{34} \times 2^{32} = 2^{66}$.

Step 3 Guess 32-bit (K_8, K_5'), and calculate D_1 from X_9^R . Delete $X_9^R[1, \dots, 16]$ from the memory, and store D_1 into the memory. Namely, there are 34-bit value ($D_1, X_9^R[17, \dots, 32], C^R[j, 16+j]$) in the memory. The time complexity of Step 3 is $2^{34} \times 2^{64} = 2^{98}$.

Step 4 Guess 1-bit $K_3'[j]$, get K_7 from (K_7', K_8), which is already guessed in Step 2 and Step 3, and calculate $D_2[j]$ from D_1 . Delete D_1 without $D_1[j]$ from the memory, and store $D_2[j]$ into the memory. Namely, there are 20-bit value ($D_1[j], D_2[j], X_9^R[17, \dots, 32], C^R[j, 16+j]$) in the memory. The time complexity of Step 4 is $2^{34} \times 2^{65} = 2^{99}$.

Step 5 Guess 32-bit K_2 , get $K_1'[j]$ from (K_1, K_2), which is already guessed in Step 2 and Step 5, and calculate $D_3[j]$ from ($X_9^R[17, \dots, 32], D_1[j]$). Delete ($X_9^R[17, \dots, 32], D_1[j]$) from the memory, and store $D_3[j]$ into the memory. Namely, there are 4-bit value

$(D_2[j], D_3[j], C^R[j, 16+j])$ in the memory. The time complexity of Step 5 is $2^{20} \times 2^{81} = 2^{101}$.

Step 6 Guess 2-bit $(K_5[j], K'_2[j])$, get $K'_3[j]$, which is already guessed in Step 4, and calculate $X_7^L[j]$ from $(D_2[j], D_3[j], C^R[j, 16+j])$. The time complexity of Step 6 is $2^4 \times 2^{83} = 2^{87}$.

The total time complexity is

$$2^{66} + 2^{98} + 2^{99} + 2^{101} + 2^{87} \approx 2^{101.5}.$$

We repeat the above six steps for $j \in \{1, 2, \dots, 7\}$. Therefore, the time complexity of the key recovery step is $7 \times 2^{101.5} = 2^{104.3}$.

The key recovery step has to guess the 124-bit key

$$K_1, K_2, K_5[1, \dots, 7], K_7, K_8, \\ K'_1[1, \dots, 7], K'_2[1, \dots, 7], K'_3[1, \dots, 7], K'_5, K'_7.$$

Here, K'_7 and $K'_1[1, \dots, 7]$ are uniquely determined by guessing K_7, K_8 and K_1, K_2 , respectively. Thus, the guessed key bit size is reduced to

$$K_1, K_2, K_5[1, \dots, 7], K_7, K_8, \\ K'_2[1, \dots, 7], K'_3[1, \dots, 7], K'_5,$$

and it becomes 101 bits. Moreover, since we already guessed 2 bits, i.e., $K_1[i]$ and $K'_7[i]$, to construct integral characteristics, the guessed key bit size is reduced to 99 bits. For wrong keys, the probability that $X_7^L[1, \dots, 7]$ is balanced is 2^{-7} . Therefore, the number of the candidates of round keys is reduced to 2^{92} . Finally, we guess the 27 bits:

$$K_5[8, \dots, 16], K'_2[8, \dots, 16], K'_3[8, \dots, 16].$$

Notice that K_3, K_4 , and K_6 are uniquely determined from (K_2, K'_2) , (K_3, K'_3) , and (K_5, K'_5) , respectively. Therefore, the total time complexity is $2^{92+27} = 2^{119}$. We guess the correct key from 2^{119} candidates by using two plaintext-ciphertext pairs, and the time complexity is $2^{119} + 2^{119-64} \approx 2^{119}$. We have to execute the above procedure against $(K_1[i], K'_7[i]) = (0, 0), (0, 1), (1, 0), (1, 1)$, and the time complexity becomes $4 \times 2^{119} = 2^{121}$.

6.2 Trade-off between Time and Data Complexity

In Sect. 6.1, we use only one set of chosen plaintexts, where $(2^{64} - 2^{62})$ chosen plaintexts are required. Since the probability that wrong keys are not discarded is 2^{-7} , a brute-force search is required with a time complexity of $2^{128-7} = 2^{119}$, and it is larger than the time complexity of the partial-sum technique. Therefore, if we have a higher number of characteristics, the total time complexity can be reduced.

To prepare several characteristics, we choose some constant bits from seven bits ($i \in \{1, 2, \dots, 7\}$). If we use a characteristic with $i = 1$, we use chosen plaintexts for which plaintext P^L takes the following values

$$(00A_{14} \ 00A_{14}), (00A_{14} \ 01A_{14}), (01A_{14} \ 00A_{14}), (01A_{14} \ 01A_{14}), \\ (00A_{14} \ 10A_{14}), (00A_{14} \ 11A_{14}), (01A_{14} \ 10A_{14}), (01A_{14} \ 11A_{14}), \\ (10A_{14} \ 00A_{14}), (10A_{14} \ 01A_{14}), (11A_{14} \ 00A_{14}), (11A_{14} \ 01A_{14}),$$

Table 3. Trade-off between time and data complexity

#characteristics	Complexity for partial-sum	Complexity for brute-force	Total
1	$1 \times 3 \times 2^{104.3}$	2^{121}	2^{121}
2	$2 \times 3 \times 2^{104.3}$	2^{114}	2^{114}
3	$3 \times 3 \times 2^{104.3}$	2^{107}	$2^{108.3}$
4	$4 \times 3 \times 2^{104.3}$	2^{100}	$2^{107.9}$
5	$5 \times 3 \times 2^{104.3}$	2^{93}	$2^{108.2}$

where A_{14} denotes that all values appear the same number independent of other bits, e.g., $(00A_{14} \ 00A_{14})$ uses 2^{60} chosen plaintexts because P^R also takes all values. Moreover, if we use a characteristic with $i = 2$, we use chosen plaintexts for which P^L takes the following values

$$\begin{aligned}
&(00A_{14} \ 00A_{14}), (00A_{14} \ 10A_{14}), (10A_{14} \ 00A_{14}), (10A_{14} \ 10A_{14}), \\
&(00A_{14} \ 01A_{14}), (00A_{14} \ 11A_{14}), (10A_{14} \ 01A_{14}), (10A_{14} \ 11A_{14}), \\
&(01A_{14} \ 00A_{14}), (01A_{14} \ 10A_{14}), (11A_{14} \ 00A_{14}), (11A_{14} \ 10A_{14}).
\end{aligned}$$

When both characteristics are used, they do not require choosing plaintexts for which P^L takes $(11A_{14} \ 11A_{14})$. Therefore, $(2^{64} - 2^{60})$ chosen plaintexts are required, and the probability that wrong keys are not discarded becomes 2^{-14} . Similarly, when three characteristics, which require $(2^{64} - 2^{58})$ chosen plaintexts, are used, the probability that wrong keys are not discarded becomes 2^{-21} .

Table 3 summarizes the trade-off between time and data complexity. For the use of each characteristic, we have to execute three key recoveries with the partial-sum technique, i.e., for $(KL_{1,1}[1], KL_{1,2}[1]) \in \{(*, 1), (0, 0), (1, 0)\}$. It shows that the use of four characteristics is optimized from the perspective of time complexity. Namely, when $(2^{64} - 2^{56}) \approx 2^{63.994}$ chosen plaintexts are required, the time complexity to recovery the secret key is $2^{107.9}$.

7 Conclusions

In this paper, we showed a cryptanalysis of the full MISTY1. MISTY1 was well evaluated and standardized by several projects, such as CRYPTREC, ISO/IEC, and NESSIE. We constructed a new integral characteristic by using the propagation characteristic of the division property. Here, we improved the division property by optimizing a public S-box. As a result, a new 6-round integral characteristic is constructed, and we can recover the secret key of the full MISTY1 with $2^{63.58}$ chosen plaintexts and 2^{121} time complexity. If we can use $2^{63.994}$ chosen plaintexts, our attack can recover the secret key with a time complexity of $2^{107.9}$.

References

- Bar15. Achiya Bar-On. Improved higher-order differential attacks on MISTY1. In *FSE*, 2015.
- BC13. Christina Boura and Anne Canteaut. On the influence of the algebraic degree of f^{-1} on the algebraic degree of $G \circ F$. *IEEE Transactions on Information Theory*, 59(1):691–702, 2013.
- BF00. Steve Babbage and Laurent Frisch. On MISTY1 higher order differential cryptanalysis. In Dongho Won, editor, *ICISC*, volume 2015 of *LNCS*, pages 22–36. Springer, 2000.
- BS90. Eli Biham and Adi Shamir. Differential cryptanalysis of DES-like cryptosystems. In Alfred Menezes and Scott A. Vanstone, editors, *CRYPTO*, volume 537 of *LNCS*, pages 2–21. Springer, 1990.

- CRY13. CRYPTREC. Specifications of e-government recommended ciphers. available at <http://www.cryptrec.go.jp/english/method.html>, 2013.
- CV02. Anne Canteaut and Marion Videau. Degree of composition of highly nonlinear functions and applications to higher order differential cryptanalysis. In Lars R. Knudsen, editor, *EUROCRYPT*, volume 2332 of *LNCS*, pages 518–533. Springer, 2002.
- DK08. Orr Dunkelman and Nathan Keller. An improved impossible differential attack on MISTY1. In Josef Pieprzyk, editor, *ASIACRYPT*, volume 5350 of *LNCS*, pages 441–454. Springer, 2008.
- DKR97. Joan Daemen, Lars R. Knudsen, and Vincent Rijmen. The block cipher Square. In Eli Biham, editor, *FSE*, volume 1267 of *LNCS*, pages 149–165. Springer, 1997.
- FKL⁺00. Niels Ferguson, John Kelsey, Stefan Lucks, Bruce Schneier, Michael Stay, David Wagner, and Doug Whiting. Improved cryptanalysis of Rijndael. In Bruce Schneier, editor, *FSE*, volume 1978 of *LNCS*, pages 213–230. Springer, 2000.
- HTK04. Yasuo Hatano, Hidema Tanaka, and Toshinobu Kaneko. Optimization for the algebraic method and its application to an attack of MISTY1. *IEICE Transactions*, 87-A(1):18–27, 2004.
- ISO05. ISO/IEC. JTC1: ISO/IEC 18033: Security techniques – encryption algorithms – part 3: Block ciphers, 2005.
- Knu94. Lars R. Knudsen. Truncated and higher order differentials. In Bart Preneel, editor, *FSE*, volume 1008 of *LNCS*, pages 196–211. Springer, 1994.
- KW02. Lars R. Knudsen and David Wagner. Integral cryptanalysis. In Joan Daemen and Vincent Rijmen, editors, *FSE*, volume 2365 of *LNCS*, pages 112–127. Springer, 2002.
- Lai94. Xuejia Lai. Higher order derivatives and differential cryptanalysis. In *Communications and Cryptography*, volume 276 of *The Springer International Series in Engineering and Computer Science*, pages 227–233, 1994.
- Mat93. Mitsuru Matsui. Linear cryptanalysis method for DES cipher. In Tor Helleseth, editor, *EUROCRYPT*, volume 765 of *LNCS*, pages 386–397. Springer, 1993.
- Mat96. Mitsuru Matsui. New structure of block ciphers with provable security against differential and linear cryptanalysis. In Dieter Gollmann, editor, *FSE*, volume 1039 of *LNCS*, pages 205–218. Springer, 1996.
- Mat97. Mitsuru Matsui. New block encryption algorithm MISTY. In Eli Biham, editor, *FSE*, volume 1267 of *LNCS*, pages 54–68. Springer, 1997.
- NES04. NESSIE. New european schemes for signatures, integrity, and encryption. available at <https://www.cosic.esat.kuleuven.be/nessie/>, 2004.
- NK95. Kaisa Nyberg and Lars R. Knudsen. Provable security against a differential attack. *J. Cryptology*, 8(1):27–37, 1995.
- Nyb94. Kaisa Nyberg. Linear approximation of block ciphers. In Alfredo De Santis, editor, *EUROCRYPT*, volume 950 of *LNCS*, pages 439–444. Springer, 1994.
- OM00. Hidenori Ohta and Mitsuru Matsui. A description of the MISTY1 encryption algorithm. available at <https://tools.ietf.org/html/rfc2994>, 2000.
- SHZ⁺15. Bing Sun, Xin Hai, Wenyu Zhang, Lei Cheng, and Zhichao Yang. New observation on division property. *IACR Cryptology ePrint Archive*, 2015:459, 2015.
- THK99. Hidema Tanaka, Kazuyuki Hisamatsu, and Toshinobu Kaneko. Strenght of MISTY1 without FL function for higher order differential attack. In Marc P. C. Fossorier, Hideki Imai, Shu Lin, and Alain Poli, editors, *AAECC-13*, volume 1719 of *LNCS*, pages 221–230. Springer, 1999.
- Tod15. Yosuke Todo. Structural evaluation by generalized integral property. In Elisabeth Oswald and Marc Fischlin, editors, *EUROCRYPT Part I*, volume 9056 of *LNCS*, pages 287–314. Springer, 2015.
- TSSK08. Yukiyasu Tsunoo, Teruo Saito, Maki Shigeri, and Takeshi Kawabata. Higher order differential attacks on reduced-round MISTY1. In Pil Joong Lee and Jung Hee Cheon, editors, *ICISC*, volume 5461 of *LNCS*, pages 415–431. Springer, 2008.

A MISTY S-boxes

The ANF of S_7 is represented as

$$\begin{aligned}
y[0] &= x[0] \oplus x[1]x[3] \oplus x[0]x[3]x[4] \oplus x[1]x[5] \oplus x[0]x[2]x[5] \oplus x[4]x[5] \\
&\quad \oplus x[0]x[1]x[6] \oplus x[2]x[6] \oplus x[0]x[5]x[6] \oplus x[3]x[5]x[6] \oplus 1, \\
y[1] &= x[0]x[2] \oplus x[0]x[4] \oplus x[3]x[4] \oplus x[1]x[5] \oplus x[2]x[4]x[5] \oplus x[6] \oplus x[0]x[6] \\
&\quad \oplus x[3]x[6] \oplus x[2]x[3]x[6] \oplus x[1]x[4]x[6] \oplus x[0]x[5]x[6] \oplus 1, \\
y[2] &= x[1]x[2] \oplus x[0]x[2]x[3] \oplus x[4] \oplus x[1]x[4] \oplus x[0]x[1]x[4] \oplus x[0]x[5] \oplus x[0]x[4]x[5] \\
&\quad \oplus x[3]x[4]x[5] \oplus x[1]x[6] \oplus x[3]x[6] \oplus x[0]x[3]x[6] \oplus x[4]x[6] \oplus x[2]x[4]x[6], \\
y[3] &= x[0] \oplus x[1] \oplus x[0]x[1]x[2] \oplus x[0]x[3] \oplus x[2]x[4] \oplus x[1]x[4]x[5] \oplus x[2]x[6] \\
&\quad \oplus x[1]x[3]x[6] \oplus x[0]x[4]x[6] \oplus x[5]x[6] \oplus 1, \\
y[4] &= x[2]x[3] \oplus x[0]x[4] \oplus x[1]x[3]x[4] \oplus x[5] \oplus x[2]x[5] \oplus x[1]x[2]x[5] \oplus x[0]x[3]x[5] \\
&\quad \oplus x[1]x[6] \oplus x[1]x[5]x[6] \oplus x[4]x[5]x[6] \oplus 1, \\
y[5] &= x[0] \oplus x[1] \oplus x[2] \oplus x[0]x[1]x[2] \oplus x[0]x[3] \oplus x[1]x[2]x[3] \oplus x[1]x[4] \\
&\quad \oplus x[0]x[2]x[4] \oplus x[0]x[5] \oplus x[0]x[1]x[5] \oplus x[3]x[5] \oplus x[0]x[6] \oplus x[2]x[5]x[6], \\
y[6] &= x[0]x[1] \oplus x[3] \oplus x[0]x[3] \oplus x[2]x[3]x[4] \oplus x[0]x[5] \oplus x[2]x[5] \oplus x[3]x[5] \\
&\quad \oplus x[1]x[3]x[5] \oplus x[1]x[6] \oplus x[1]x[2]x[6] \oplus x[0]x[3]x[6] \oplus x[4]x[6] \oplus x[2]x[5]x[6].
\end{aligned}$$

Moreover, the ANF of S_9 is represented as

$$\begin{aligned}
y[0] &= x[0]x[4] \oplus x[0]x[5] \oplus x[1]x[5] \oplus x[1]x[6] \oplus x[2]x[6] \oplus x[2]x[7] \oplus x[3]x[7] \oplus x[3]x[8] \\
&\quad \oplus x[4]x[8] \oplus 1, \\
y[1] &= x[0]x[2] \oplus x[3] \oplus x[1]x[3] \oplus x[2]x[3] \oplus x[3]x[4] \oplus x[4]x[5] \oplus x[0]x[6] \oplus x[2]x[6] \\
&\quad \oplus x[7] \oplus x[0]x[8] \oplus x[3]x[8] \oplus x[5]x[8] \oplus 1, \\
y[2] &= x[0]x[1] \oplus x[1]x[3] \oplus x[4] \oplus x[0]x[4] \oplus x[2]x[4] \oplus x[3]x[4] \oplus x[4]x[5] \oplus x[0]x[6] \\
&\quad \oplus x[5]x[6] \oplus x[1]x[7] \oplus x[3]x[7] \oplus x[8], \\
y[3] &= x[0] \oplus x[1]x[2] \oplus x[2]x[4] \oplus x[5] \oplus x[1]x[5] \oplus x[3]x[5] \oplus x[4]x[5] \oplus x[5]x[6] \\
&\quad \oplus x[1]x[7] \oplus x[6]x[7] \oplus x[2]x[8] \oplus x[4]x[8], \\
y[4] &= x[1] \oplus x[0]x[3] \oplus x[2]x[3] \oplus x[0]x[5] \oplus x[3]x[5] \oplus x[6] \oplus x[2]x[6] \oplus x[4]x[6] \\
&\quad \oplus x[5]x[6] \oplus x[6]x[7] \oplus x[2]x[8] \oplus x[7]x[8], \\
y[5] &= x[2] \oplus x[0]x[3] \oplus x[1]x[4] \oplus x[3]x[4] \oplus x[1]x[6] \oplus x[4]x[6] \oplus x[7] \oplus x[3]x[7] \\
&\quad \oplus x[5]x[7] \oplus x[6]x[7] \oplus x[0]x[8] \oplus x[7]x[8], \\
y[6] &= x[0]x[1] \oplus x[3] \oplus x[1]x[4] \oplus x[2]x[5] \oplus x[4]x[5] \oplus x[2]x[7] \oplus x[5]x[7] \oplus x[8] \\
&\quad \oplus x[0]x[8] \oplus x[4]x[8] \oplus x[6]x[8] \oplus x[7]x[8] \oplus 1, \\
y[7] &= x[1] \oplus x[0]x[1] \oplus x[1]x[2] \oplus x[2]x[3] \oplus x[0]x[4] \oplus x[5] \oplus x[1]x[6] \oplus x[3]x[6] \\
&\quad \oplus x[0]x[7] \oplus x[4]x[7] \oplus x[6]x[7] \oplus x[1]x[8] \oplus 1, \\
y[8] &= x[0] \oplus x[0]x[1] \oplus x[1]x[2] \oplus x[4] \oplus x[0]x[5] \oplus x[2]x[5] \oplus x[3]x[6] \oplus x[5]x[6] \\
&\quad \oplus x[0]x[7] \oplus x[0]x[8] \oplus x[3]x[8] \oplus x[6]x[8] \oplus 1.
\end{aligned}$$

B Proof of Propagation Rules

B.1 Proof of Rule 1 (Substitution)

Let F be a function that consists of m S-boxes, where F_i denotes the i th S-box and the bit length and the algebraic degree is n_i bits and d_i , respectively. The input and the output take a value of $(\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2} \times \cdots \times \mathbb{F}_2^{n_m})$, and \mathbb{X} and \mathbb{Y} denote the input multiset and the output multiset, respectively.

Assuming that the multiset \mathbb{X} has the division property $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{n_1, n_2, \dots, n_m}$, $\bigoplus_{\mathbf{x} \in \mathbb{X}} \pi_{\mathbf{u}}(\mathbf{x}) = 0$ if $W(\mathbf{u}) \not\leq \mathbf{k}^{(i)}$ holds for all i ($1 \leq i \leq q$). First, we only apply the first S-box and evaluate the division property of the multiset whose elements are represented by $(F_1(x_1), x_2, \dots, x_m)$. The division property is evaluated as follows

$$\begin{aligned} \bigoplus_{\mathbf{x} \in \mathbb{X}} \pi_{\mathbf{v}}(F_1(x_1), x_2, \dots, x_m) &= \bigoplus_{\mathbf{x} \in \mathbb{X}} \left((\pi_{v_1} \circ F_1)(x_1) \times \prod_{i=2}^m \pi_{v_i}(x_i) \right) \\ &= \bigoplus_{\mathbf{x} \in \mathbb{X}} \left(\bigoplus_{u_1 \in \mathbb{F}_2^{n_1}} a_{u_1}^{(\pi_{v_1} \circ F_1)} \pi_{u_1}(x_1) \right) \times \left(\prod_{i=2}^m \pi_{v_i}(x_i) \right) \\ &= \bigoplus_{u_1 \in \mathbb{F}_2^{n_1}} \left(\bigoplus_{\mathbf{x} \in \mathbb{X}} \left(a_{u_1}^{(\pi_{v_1} \circ F_1)} \pi_{u_1}(x_1) \times \prod_{i=2}^m \pi_{v_i}(x_i) \right) \right). \end{aligned}$$

Therefore, for any $\mathbf{v} \in (\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2} \times \cdots \times \mathbb{F}_2^{n_m})$, the parity becomes 0 if

$$\bigoplus_{\mathbf{x} \in \mathbb{X}} \left(a_{u_1}^{(\pi_{v_1} \circ F_1)} \pi_{u_1}(x_1) \times \prod_{i=2}^m \pi_{v_i}(x_i) \right) = a_{u_1}^{(\pi_{v_1} \circ F_1)} \bigoplus_{\mathbf{x} \in \mathbb{X}} \pi_{(u_1, v_2, v_3, \dots, v_m)}(\mathbf{x})$$

is 0 for all $u_1 \in \mathbb{F}_2^{n_1}$. Since the algebraic degree of $(\pi_{v_1} \circ F_1)$ is at most $w(v_1) \times d_1$, $a_{u_1}^{(\pi_{v_1} \circ F_1)} = 0$ if $w(u_1) > w(v_1) \times d_1$. Therefore, the parity becomes unknown only if we cannot determine the value of $\bigoplus_{\mathbf{x} \in \mathbb{X}} \pi_{(u_1, v_2, v_3, \dots, v_m)}(\mathbf{x})$ for $w(u_1) \leq w(v_1) \times d_1$. From the division property of the input multiset, $\bigoplus_{\mathbf{x} \in \mathbb{X}} \pi_{(u_1, v_2, v_3, \dots, v_m)}(\mathbf{x}) = 0$ if $W(v_1, u_2, u_3, \dots, u_m) \not\leq \mathbf{k}^{(i)}$ holds for all i ($1 \leq i \leq q$). Therefore, the following relation

$$\begin{aligned} W(u_1, v_2, v_3, \dots, v_m) \not\leq \mathbf{k}^{(i)} &\Rightarrow (w(v_1) \times d_1, w(v_2), \dots, w(v_m)) \not\leq \mathbf{k}^{(i)} \\ &\Rightarrow (w(v_1), w(v_2), \dots, w(v_m)) \not\leq \left(\left\lceil \frac{k_1^{(i)}}{d_1} \right\rceil, k_2^{(i)}, k_3^{(i)}, \dots, k_m^{(i)} \right) \end{aligned}$$

holds, and then the division property of the output multiset becomes $\mathcal{D}_{\mathbf{k}'^{(1)}, \mathbf{k}'^{(2)}, \dots, \mathbf{k}'^{(q)}}^{n_1, n_2, \dots, n_m}$, where

$$(k_1'^{(j)}, k_2'^{(j)}, \dots, k_m'^{(j)}) = \left(\left\lceil \frac{k_i^{(j)}}{d_i} \right\rceil, k_2^{(j)}, \dots, k_m^{(j)} \right) \quad \text{for } 1 \leq j \leq q.$$

Finally, Rule 1 is proven by repeating the same procedure for other S-boxes.

B.2 Proof of Rule 2 (Copy)

Let F be a copy function, where the input x takes a value of \mathbb{F}_2^n and the output is calculated as $(y_1, y_2) = (x, x)$. Let \mathbb{X} and \mathbb{Y} be the input multiset and the output multiset, respectively.

Assuming that the multiset \mathbb{X} has the division property \mathcal{D}_k^n , $\bigoplus_{x \in \mathbb{X}} \pi_u(x) = 0$ for $w(u) < k$. The division property of \mathbb{Y} is evaluated as follows

$$\bigoplus_{x \in \mathbb{X}} \pi_{(v_1, v_2)}(x, x) = \bigoplus_{x \in \mathbb{X}} (\pi_{v_1}(x) \times \pi_{v_2}(x)).$$

When $w(v_1) + w(v_2)$ is less than k at least, the parity is always 0 because $\bigoplus_{x \in \mathbb{X}} \pi_u(x) = 0$ for $w(u) < k$. Therefore, the division property of \mathbb{Y} is $\mathcal{D}_{\mathbf{k}'^{(1)}, \mathbf{k}'^{(2)}, \dots, \mathbf{k}'^{(k+1)}}^{n, n}$ as

$$\mathbf{k}'^{(i+1)} = (k - i, i) \text{ for } 0 \leq i \leq k.$$

Thus, Rule 2 is proven.

B.3 Proof of Rule 3 (Compression by XOR)

Let F be a compression function by an XOR, where the input (x_1, x_2) takes a value of $(\mathbb{F}_2^n \times \mathbb{F}_2^n)$ and the output is calculated as $y = x_1 \oplus x_2$. Let \mathbb{X} and \mathbb{Y} be the input multiset and the output multiset, respectively.

Assuming that the multiset \mathbb{X} has the division property $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{n, n}$, $\bigoplus_{x \in \mathbb{X}} \pi_{\mathbf{u}}(x) = 0$ if $W(\mathbf{u}) \not\leq \mathbf{k}^{(i)}$ holds for all i ($1 \leq i \leq q$). The division property of \mathbb{Y} is evaluated as follows

$$\begin{aligned} \bigoplus_{(x_1, x_2) \in \mathbb{X}} \pi_v(x_1 \oplus x_2) &= \bigoplus_{(x_1, x_2) \in \mathbb{X}} \pi_v(x_1 \oplus x_2) \\ &= \bigoplus_{(x_1, x_2) \in \mathbb{X}} \left(\prod_{i=1}^n (x_1[i] \oplus x_2[i])^{v[i]} \right) \\ &= \bigoplus_{(x_1, x_2) \in \mathbb{X}} \left(\bigoplus_{w \in \{1, 2\}^n} \left(\prod_{i=1}^n x_{w_i}[i]^{v[i]} \right) \right). \end{aligned}$$

Therefore, for any $v \in \mathbb{F}_2^n$, the parity becomes 0 if

$$\bigoplus_{(x_1, x_2) \in \mathbb{X}} \left(\prod_{i=1}^n x_{w_i}[i]^{v[i]} \right)$$

is 0 for all $w \in \{1, 2\}^n$. In this case, the parity becomes unknown only if we choose at least k' bits from $y \in \mathbb{Y}$, where

$$k' = \min\{k_1^{(1)} + k_2^{(1)}, k_1^{(2)} + k_2^{(2)}, \dots, k_1^{(q)} + k_2^{(q)}\}.$$

Notice that the parity becomes 0 for all v if k' is greater than n . Thus, Rule 3 is proven.

B.4 Proof of Rule 4 (Split)

Let F be a split function, where the input x takes a value of \mathbb{F}_2^n and the output is calculated as $x = y_1 \| y_2$, where (y_1, y_2) takes a value of $(\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n-n_1})$. Let \mathbb{X} and \mathbb{Y} be the input multiset and the output multiset, respectively.

Assuming that the multiset \mathbb{X} has the division property \mathcal{D}_k^n , $\bigoplus_{x \in \mathbb{X}} \pi_u(x) = 0$ for $w(u) < k$. The division property of \mathbb{Y} is evaluated as follows

$$\bigoplus_{x \in \mathbb{X}} \pi_{(v_1, v_2)}(y_1, y_2) = \bigoplus_{x \in \mathbb{X}} \pi_{v_1 \| v_2}(y_1 \| y_2).$$

When $w(v_1) + w(v_2)$ is less than k at least, the parity is always 0 because $\bigoplus_{x \in \mathbb{X}} \pi_u(x) = 0$ for $w(u) < k$. Therefore, the division property of \mathbb{Y} is $\mathcal{D}_{\mathbf{k}'^{(1)}, \mathbf{k}'^{(2)}, \dots, \mathbf{k}'^{(k+1)}}^{n_1, n-n_1}$ as

$$\mathbf{k}'^{(i+1)} = (k - i, i) \text{ for } 0 \leq i \leq k.$$

Notice that we cannot choose more than n_1 and $n - n_1$ bits from y_1 and y_2 , respectively. Thus, Rule 4 is proven.

B.5 Proof of Rule 5 (Concatenation)

Let F be a concatenation function, where the input (x_1, x_2) takes a value of $(\mathbb{F}_2^{n_1} \times \mathbb{F}_2^{n_2})$ and the output is calculated as $y = x_1 \| x_2$. Let \mathbb{X} and \mathbb{Y} be the input multiset and the output multiset, respectively.

Assuming that the multiset \mathbb{X} has the division property $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{n_1, n_2}$, $\bigoplus_{\mathbf{x} \in \mathbb{X}} \pi_{\mathbf{u}}(\mathbf{x}) = 0$ if $W(\mathbf{u}) \not\geq \mathbf{k}^{(i)}$ holds for all i ($1 \leq i \leq q$). The division property of \mathbb{Y} is evaluated as follows

$$\bigoplus_{(x_1, x_2) \in \mathbb{X}} \pi_v(x_1 \| x_2) = \bigoplus_{(x_1, x_2) \in \mathbb{X}} \pi_{v_1 \| v_2}(x_1 \| x_2) = \bigoplus_{(x_1, x_2) \in \mathbb{X}} \pi_{(v_1, v_2)}(x_1, x_2)$$

Therefore, the parity becomes unknown only if we choose at least k' bits from $y \in \mathbb{Y}$, where

$$k' = \min\{k_1^{(1)} + k_2^{(1)}, k_1^{(2)} + k_2^{(2)}, \dots, k_1^{(q)} + k_2^{(q)}\}.$$

Thus, Rule 5 is proven.

C Propagation from $\mathcal{D}_{[6,2,7,7,2,7,7,2,7,2,7]}^{7,2,7,7,2,7,7,2,7,2,7}$

When the input set has the division property $\mathcal{D}_{[6,2,7,7,2,7,7,2,7,2,7]}^{7,2,7,7,2,7,7,2,7,2,7}$, the division property of the set of texts encrypted 6 rounds without the first and the last FL layers is represented as $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(132)}}^{7,2,7,7,2,7,7,2,7,2,7}$. Here, 132 vectors are represented as follows:

(0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 4) (0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 3) (0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 2, 2)
 (0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 3) (0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 2) (0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 2, 1)
 (0, 0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 2) (0, 0, 0, 0, 0, 0, 0, 0, 0, 2, 1, 1) (0, 0, 0, 0, 0, 0, 0, 0, 0, 2, 2, 0)
 (0, 0, 0, 0, 0, 0, 0, 0, 0, 3, 0, 1) (0, 0, 0, 0, 0, 0, 0, 0, 0, 3, 1, 0) (0, 0, 0, 0, 0, 0, 0, 0, 0, 4, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 3) (0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 2) (0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 2, 1)
 (0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 2) (0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1) (0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 2, 0)
 (0, 0, 0, 0, 0, 0, 0, 0, 1, 2, 0, 1) (0, 0, 0, 0, 0, 0, 0, 0, 1, 2, 1, 0) (0, 0, 0, 0, 0, 0, 0, 0, 1, 3, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 2) (0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 1, 1) (0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 2, 0)
 (0, 0, 0, 0, 0, 0, 0, 0, 2, 1, 0, 1) (0, 0, 0, 0, 0, 0, 0, 0, 2, 1, 1, 0) (0, 0, 0, 0, 0, 0, 0, 0, 2, 2, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 0, 3, 0, 0, 1) (0, 0, 0, 0, 0, 0, 0, 0, 3, 0, 1, 0) (0, 0, 0, 0, 0, 0, 0, 0, 4, 1, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 0, 7, 0, 0, 0) (0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 3) (0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 2)
 (0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 2, 1) (0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 2) (0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 1, 1)
 (0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 2, 0) (0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 2, 0, 1) (0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 2, 1, 0)
 (0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 3, 0, 0) (0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 0, 2) (0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 1, 1)
 (0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 2, 0) (0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 1) (0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 0)
 (0, 0, 0, 0, 0, 0, 0, 0, 1, 1, 2, 0, 0) (0, 0, 0, 0, 0, 0, 0, 0, 1, 2, 0, 0, 1) (0, 0, 0, 0, 0, 0, 0, 0, 1, 2, 0, 1, 0)
 (0, 0, 0, 0, 0, 0, 0, 0, 1, 2, 1, 0, 0) (0, 0, 0, 0, 0, 0, 0, 0, 1, 5, 0, 0, 0) (0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 0, 2)
 (0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 1, 1) (0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 2, 0) (0, 0, 0, 0, 0, 0, 0, 2, 0, 1, 0, 1)
 (0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 1, 1, 0) (0, 0, 0, 0, 0, 0, 0, 0, 2, 0, 2, 0, 0) (0, 0, 0, 0, 0, 0, 0, 2, 1, 0, 0, 1)
 (0, 0, 0, 0, 0, 0, 0, 2, 1, 0, 1, 0) (0, 0, 0, 0, 0, 0, 0, 2, 1, 1, 0, 0) (0, 0, 0, 0, 0, 0, 0, 2, 4, 0, 0, 0)
 (0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 3) (0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 1, 2) (0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 2, 1)
 (0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 0, 2) (0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 1, 1) (0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 1, 2, 0)
 (0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 2, 0, 1) (0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 2, 1, 0) (0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 3, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 0, 2) (0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 1, 1) (0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 0, 2, 0)
 (0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 1, 0, 1) (0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 1, 1, 0) (0, 0, 0, 0, 0, 0, 0, 1, 0, 1, 2, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 1, 0, 2, 0, 0, 1) (0, 0, 0, 0, 0, 0, 0, 1, 0, 2, 0, 1, 0) (0, 0, 0, 0, 0, 0, 0, 1, 0, 2, 1, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 1, 0, 5, 0, 0, 0) (0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 0, 0, 2) (0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 0, 1, 1)
 (0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 0, 2, 0) (0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 1, 0, 1) (0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 1, 1, 0)
 (0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 2, 0, 0) (0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 0, 0, 1) (0, 0, 0, 0, 0, 0, 0, 1, 1, 0, 1, 0, 1)
 (0, 0, 0, 0, 0, 0, 0, 1, 1, 1, 1, 0, 0) (0, 0, 0, 0, 0, 0, 0, 1, 1, 4, 0, 0, 0) (0, 0, 0, 0, 0, 0, 0, 1, 2, 0, 0, 0, 1)
 (0, 0, 0, 0, 0, 0, 0, 1, 2, 0, 0, 1, 0) (0, 0, 0, 0, 0, 0, 0, 1, 2, 0, 1, 0, 0) (0, 0, 0, 0, 0, 0, 0, 1, 2, 3, 0, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 0, 0, 2) (0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 0, 1, 1) (0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 0, 2, 0)
 (0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 1, 0, 1) (0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 1, 1, 0) (0, 0, 0, 0, 0, 0, 0, 2, 0, 0, 2, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 2, 0, 1, 0, 0, 1) (0, 0, 0, 0, 0, 0, 0, 2, 0, 1, 0, 1, 0) (0, 0, 0, 0, 0, 0, 0, 2, 0, 1, 1, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 2, 0, 4, 0, 0, 0) (0, 0, 0, 0, 0, 0, 0, 2, 1, 0, 0, 0, 1) (0, 0, 0, 0, 0, 0, 0, 2, 1, 0, 0, 1, 0)
 (0, 0, 0, 0, 0, 0, 0, 2, 1, 0, 1, 0, 0) (0, 0, 0, 0, 0, 0, 0, 2, 1, 3, 0, 0, 0) (0, 0, 0, 0, 0, 0, 0, 2, 2, 0, 0, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 3, 0, 0, 0, 0, 1) (0, 0, 0, 0, 0, 0, 0, 3, 0, 0, 0, 1, 0) (0, 0, 0, 0, 0, 0, 0, 3, 0, 0, 2, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 3, 0, 3, 0, 0, 0) (0, 0, 0, 0, 0, 0, 0, 3, 1, 2, 0, 0, 0) (0, 0, 0, 0, 0, 0, 0, 3, 2, 1, 0, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 4, 0, 0, 1, 0, 0) (0, 0, 0, 0, 0, 0, 0, 5, 0, 2, 0, 0, 0) (0, 0, 0, 0, 0, 0, 0, 5, 1, 1, 0, 0, 0)
 (0, 0, 0, 0, 0, 0, 0, 5, 2, 0, 0, 0, 0) (0, 0, 0, 0, 0, 0, 0, 7, 0, 1, 0, 0, 0) (0, 0, 0, 0, 0, 0, 0, 7, 1, 0, 0, 0, 0)
 (0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0) (0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0) (0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0)
 (0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0) (0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0) (1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1)
 (1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0) (1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0) (1, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0)
 (1, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0) (1, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0) (2, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0)

Assuming that \mathbb{X} has the division property $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7,7,2,7,7,2,7,2,7}$, $\bigoplus_{x \in \mathbb{X}} x_j$ becomes 0 if there exist $\mathbf{k}^{(i)}$ such that $k_j^{(i)}$ is greater than 1. From the last vector of 132 vectors, k_1 takes 2. Therefore, we can know that the first 7 bits are balanced.

D 14th Order Differential Characteristic Revisited

In [HTK04] and [TSSK08], they used the 14th order differential characteristic, where 14 bits $P^R[10 - 16, 26 - 32]$ are active and the others are constant. In the characteristic, the first seven bits of X_5^R are balanced. Moreover, they extended the characteristic to 46th order differential characteristic, where 14 bits $P^L[10 - 16, 26 - 32]$ and 32 bits P^R are active and the others are constant. In the characteristic, the first seven bits of X_5^L are balanced. We revisit their characteristics from the perspective of the propagation characteristic of the division property.

We assume that S_9 is a any 9-bit bijective function with degree 2 and S_7 is a any 7-bit bijective function with degree 3. We search for integral characteristics, and then the division property propagates as follows:

$\mathcal{D}_{\mathbf{k}}^{7,2,7,7,2,7,7,2,7,7,2,7}$	4 rounds	$\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(12)}}^{7,2,7,7,2,7,7,2,7,7,2,7}$
$\mathbf{k} = (0, 0, 0, 0, 0, 0, 0, 0, 0, 7, 0, 0, 7)$	\Rightarrow	$\mathbf{k}^{(1)} = (1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0)$ $\mathbf{k}^{(2)} = (0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0)$ $\mathbf{k}^{(3)} = (0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0, 0)$ $\mathbf{k}^{(4)} = (0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0, 0)$ $\mathbf{k}^{(5)} = (0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0, 0)$ $\mathbf{k}^{(6)} = (0, 0, 0, 0, 0, 1, 0, 0, 0, 0, 0, 0)$ $\mathbf{k}^{(7)} = (0, 0, 0, 0, 0, 0, 2, 0, 0, 0, 0, 0)$ $\mathbf{k}^{(8)} = (0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0, 0)$ $\mathbf{k}^{(9)} = (0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0, 0)$ $\mathbf{k}^{(10)} = (0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0, 0)$ $\mathbf{k}^{(11)} = (0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1, 0)$ $\mathbf{k}^{(12)} = (0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 1)$

This result implies that the existence of 14th order differential characteristic is derived from the bit length and the algebraic degree of S-boxes. Even if different S-boxes are chosen in S_7 and S_9 , the 14th order differential characteristic exists unless the algebraic degree increases. Similar observations were also discussed in [BF00, CV02].

Moreover, we revisit the 46th order differential characteristic. Namely, we evaluate the propagation characteristic of the division property, where the input set has the division property $\mathcal{D}_{[0,0,7,0,0,7,7,2,7,7,2,7]}^{7,2,7,7,2,7,7,2,7,7,2,7}$. As a result, we can get an integral characteristic that the first 16 bits of X_5^L are balanced. In the simple extension shown in [HTK04] and [TSSK08], only the first 7 bits are balanced. Thus, we can prove that the number of balanced bits becomes not 7 bits but 16 bits.

E Example : Propagation from $\mathcal{D}_{[4,2,6]}^{7,2,7}$ against FI function

We consider the propagation characteristic of the division property against the FI function (see Fig. 4). Assume that \mathbb{X}_1 has the division property $\mathcal{D}_{[4,2,6]}^{7,2,7}$.

From \mathbb{X}_1 to \mathbb{X}_2 : Since the first 7-bit value and the second 2-bit value are concatenated, Rule 5 is applied. Thus, the multiset \mathbb{X}_2 has the division property $\mathcal{D}_{[6,6]}^{9,7}$.

From \mathbb{X}_2 to \mathbb{X}_3 : Since the 9-bit S-box S_9 is applied, Rule 1 is applied. Thus, the multiset \mathbb{X}_3 has the division property $\mathcal{D}_{[3,6]}^{9,7}$.

From \mathbb{X}_3 to \mathbb{X}_4 : Since the first 9-bit value are split to 2-bit and 7-bit values, Rule 4 is applied. Thus, the multiset \mathbb{X}_4 has the division property $\mathcal{D}_{[0,3,6],[1,2,6],[2,1,6]}^{2,7,7}$.

From \mathbb{X}_4 to \mathbb{X}_5 : Since the second 7-bit value is XORed with the last 7-bit value, Rule 2 and Rule 3 are applied. In this case, the propagation of the division property is calculated as

$$\begin{aligned} [0, 3, 6] &\Rightarrow [0, 3, 6], [0, 4, 5], [0, 5, 4], [0, 6, 3], [0, 7, 2], \\ [1, 2, 6] &\Rightarrow [1, 2, 6], [1, 3, 5], [1, 4, 4], [1, 5, 3], [1, 6, 2], [1, 7, 1], \\ [2, 1, 6] &\Rightarrow [2, 1, 6], [2, 2, 5], [2, 3, 4], [2, 4, 3], [2, 5, 2], [2, 6, 1], [2, 7, 0]. \end{aligned}$$

The position is rotated, and then the division property of \mathbb{X}_5 has $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(18)}}^{7,2,7}$, where 18 vectors are represented as

$$\begin{aligned} [6, 0, 3], [5, 0, 4], [4, 0, 5], [3, 0, 6], [2, 0, 7], \\ [6, 1, 2], [5, 1, 3], [4, 1, 4], [3, 1, 5], [2, 1, 6], [1, 1, 7], \\ [6, 2, 1], [5, 2, 2], [4, 2, 3], [3, 2, 4], [2, 2, 5], [1, 2, 6], [0, 2, 7]. \end{aligned}$$

From \mathbb{X}_5 to \mathbb{X}_6 : Since the 7-bit S-box S_7 is applied, Rule 1 is applied. Here, we exploit the vulnerable property of S_7 . Thus, the following 18 vectors

$$\begin{aligned} [4, 0, 3], [2, 0, 4], [2, 0, 5], [1, 0, 6], [1, 0, 7], \\ [4, 1, 2], [2, 1, 3], [2, 1, 4], [1, 1, 5], [1, 1, 6], [1, 1, 7], \\ [4, 2, 1], [2, 2, 2], [2, 2, 3], [1, 2, 4], [1, 2, 5], [1, 2, 6], [0, 2, 7], \end{aligned}$$

are calculated. For example, the vector $[2, 0, 5]$ is removed because $[2, 0, 5] \succ [2, 0, 4]$. Similarly, remove redundant vectors, and the division property of \mathbb{X}_6 has $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(10)}}^{7,2,7}$, where 10 vectors are represented as

$$\begin{aligned} [0, 2, 7], [1, 0, 6], [1, 1, 5], [1, 2, 4], [2, 0, 4], \\ [2, 1, 3], [2, 2, 2], [4, 0, 3], [4, 1, 2], [4, 2, 1], \end{aligned}$$

From \mathbb{X}_6 to \mathbb{X}_7 : Since the first 7-bit value is XORed with the last 7-bit value, Rule 2 and Rule 3 are applied. In this case, the propagation of the division property is calculated as

$$\begin{aligned}
[0, 2, 7] &\Rightarrow [0, 2, 7], [1, 2, 6], [2, 2, 5], [3, 2, 4], [4, 2, 3], [5, 2, 2], [6, 2, 1], [7, 2, 0]. \\
[1, 0, 6] &\Rightarrow [1, 0, 6], [2, 0, 5], [3, 0, 4], [4, 0, 3], [5, 0, 2], [6, 0, 1], [7, 0, 0], \\
[1, 1, 5] &\Rightarrow [1, 1, 5], [2, 1, 4], [3, 1, 3], [4, 1, 2], [5, 1, 1], [6, 1, 0], \\
[1, 2, 4] &\Rightarrow [1, 2, 4], [2, 2, 3], [3, 2, 2], [4, 2, 1], [5, 2, 0], \\
[2, 0, 4] &\Rightarrow [2, 0, 4], [3, 0, 3], [4, 0, 2], [5, 0, 1], [6, 0, 0], \\
[2, 1, 3] &\Rightarrow [2, 1, 3], [3, 1, 2], [4, 1, 1], [5, 1, 0], \\
[2, 2, 2] &\Rightarrow [2, 2, 2], [3, 2, 1], [4, 2, 0], \\
[4, 0, 3] &\Rightarrow [4, 0, 3], [5, 0, 2], [6, 0, 1], [7, 0, 0], \\
[4, 1, 2] &\Rightarrow [4, 1, 2], [5, 1, 1], [6, 1, 0], \\
[4, 2, 1] &\Rightarrow [4, 2, 1], [5, 2, 0],
\end{aligned}$$

Remove redundant vectors, the position is rotated, and then the division property of \mathbb{X}_7 has $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(17)}}^{2,7,7}$, where 17 vectors are represented as

$$\begin{aligned}
&[0, 0, 7], [0, 0, 6], [0, 1, 5], [0, 2, 4], [0, 3, 3], [0, 4, 2], [0, 6, 1], [1, 0, 5], [1, 1, 4], \\
&[1, 2, 3], [1, 3, 2], [1, 5, 1], [2, 0, 4], [2, 1, 3], [2, 2, 2], [2, 4, 1], [2, 7, 0].
\end{aligned}$$

From \mathbb{X}_7 to \mathbb{X}_8 : Since the first 2-bit value and the second 7-bit value are concatenated, Rule 5 is applied. Then, the following 17 vectors

$$\begin{aligned}
&[0, 7], [0, 6], [1, 5], [2, 4], [3, 3], [4, 2], [6, 1], [1, 5], [2, 4], \\
&[3, 3], [4, 2], [6, 1], [2, 4], [3, 3], [4, 2], [6, 1], [9, 0],
\end{aligned}$$

are calculated. Remove redundant vectors, and the division property of \mathbb{X}_8 has $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(7)}}^{9,7}$, where 7 vectors are represented as

$$[0, 6], [1, 5], [2, 4], [3, 3], [4, 2], [6, 1], [9, 0].$$

From \mathbb{X}_8 to \mathbb{X}_9 : Since the 9-bit S-box S_9 is applied, Rule 1 is applied. Then, the following 7 vectors

$$[0, 6], [1, 5], [1, 4], [2, 3], [2, 2], [3, 1], [9, 0],$$

are calculated. Remove redundant vectors, and the division property of \mathbb{X}_9 has $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(5)}}^{9,7}$, where 5 vectors are represented as

$$[0, 6], [1, 4], [2, 2], [3, 1], [9, 0].$$

From \mathbb{X}_9 to \mathbb{X}_{10} : Since the first 9-bit value are split to 2-bit and 7-bit values, Rule 4 is applied. Thus, the multiset \mathbb{X}_{10} has the division property $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(10)}}^{2,7,7}$, where 10 vectors are represented as

$$\begin{aligned}
&[0, 6] \Rightarrow [0, 0, 6], \\
&[1, 4] \Rightarrow [0, 1, 4], [1, 0, 4], \\
&[2, 2] \Rightarrow [0, 2, 2], [1, 1, 2], [2, 0, 2], \\
&[3, 1] \Rightarrow [0, 3, 1], [1, 2, 1], [2, 1, 1], \\
&[9, 0] \Rightarrow [2, 7, 0].
\end{aligned}$$

From \mathbb{X}_{10} to \mathbb{X}_{11} : Since the second 7-bit value is XORed with the last 7-bit value, Rule 2 and Rule 3 are applied. In this case, the propagation of the division property is calculated as

$$\begin{aligned}
[0, 0, 6] &\Rightarrow [0, 0, 6], [0, 1, 5], [0, 2, 4], [0, 3, 3], [0, 4, 2], [0, 5, 1], [0, 6, 0], \\
[0, 1, 4] &\Rightarrow [0, 1, 4], [0, 2, 3], [0, 3, 2], [0, 4, 1], [0, 5, 0] \\
[1, 0, 4] &\Rightarrow [1, 0, 4], [1, 1, 3], [1, 2, 2], [1, 3, 1], [1, 4, 0] \\
[0, 2, 2] &\Rightarrow [0, 2, 2], [0, 3, 1], [0, 4, 0] \\
[1, 1, 2] &\Rightarrow [1, 1, 2], [1, 2, 1], [1, 3, 0] \\
[2, 0, 2] &\Rightarrow [2, 0, 2], [2, 1, 1], [2, 2, 0] \\
[0, 3, 1] &\Rightarrow [0, 3, 1], [0, 4, 0] \\
[1, 2, 1] &\Rightarrow [1, 2, 1], [1, 3, 0] \\
[2, 1, 1] &\Rightarrow [2, 1, 1], [2, 2, 0] \\
[2, 7, 0] &\Rightarrow [2, 7, 0]
\end{aligned}$$

Remove redundant vectors, the position is rotated, and then the division property of \mathbb{X}_{11} has $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(12)}}^{7,2,7}$, where 12 vectors are represented as

$$\begin{aligned}
&[0, 0, 4], [0, 1, 3], [0, 2, 2], [1, 0, 3], [1, 1, 2], [1, 2, 1], \\
&[2, 0, 2], [2, 1, 1], [2, 2, 0], [4, 0, 1], [4, 1, 0], [6, 0, 0].
\end{aligned}$$

Algorithm 1 can automatically search for the propagation characteristic of the division property from any $\mathcal{D}_{\mathbf{k}}^{7,2,7}$. We create the propagation characteristic tables, which are shown in Appendix G, by implementing Algorithm 1.

F Experimental Search for Propagation Characteristic of Division Property

We also experimentally evaluated the propagation characteristic against the *FI* function. In our experimental search, for any $\mathcal{D}_{[k_1, k_2, k_3]}^{7,2,7}$, we created 100 random input multisets, and then evaluated the propagation characteristic. As a result, we confirmed that the propagation characteristics of the division property against the *FI* function are the same as those shown in Appendix G.

G Propagation Characteristic Table against FI function

Table 4. Division property of input is $\mathcal{D}_{0,*,*}^{7,2,7}$

\mathbf{k} of $\mathcal{D}_{\mathbf{k}}^{7,2,7}$	$\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ of $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7}$
(0 0 0)	(0 0 0)
(0 0 1)	(0 0 1) (0 1 0) (1 0 0)
(0 0 2)	(0 0 1) (0 1 0) (1 0 0)
(0 0 3)	(0 0 1) (0 2 0) (1 0 0)
(0 0 4)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (2 0 0)
(0 0 5)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (2 0 0)
(0 0 6)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (3 0 0)
(0 0 7)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(0 1 0)	(0 0 1) (0 1 0) (1 0 0)
(0 1 1)	(0 0 1) (0 1 0) (2 0 0)
(0 1 2)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (2 0 0)
(0 1 3)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (2 0 0)
(0 1 4)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (3 0 0)
(0 1 5)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (3 0 0)
(0 1 6)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(0 1 7)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(0 2 0)	(0 0 1) (0 1 0) (1 0 0)
(0 2 1)	(0 0 1) (0 1 0) (2 0 0)
(0 2 2)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (2 0 0)
(0 2 3)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (2 0 0)
(0 2 4)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (3 0 0)
(0 2 5)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (3 0 0)
(0 2 6)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(0 2 7)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)

Table 5. Division property of input is $\mathcal{D}_{1,*,*}^{7,2,7}$

\mathbf{k} of $\mathcal{D}_{\mathbf{k}}^{7,2,7}$	$\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ of $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7}$
(1 0 0)	(0 0 1) (0 1 0) (1 0 0)
(1 0 1)	(0 0 1) (0 1 0) (2 0 0)
(1 0 2)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (2 0 0)
(1 0 3)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (2 0 0)
(1 0 4)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (3 0 0)
(1 0 5)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (3 0 0)
(1 0 6)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(1 0 7)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(1 1 0)	(0 0 1) (0 1 0) (1 0 0)
(1 1 1)	(0 0 1) (0 1 0) (2 0 0)
(1 1 2)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (2 0 0)
(1 1 3)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (2 0 0)
(1 1 4)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (3 0 0)
(1 1 5)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (3 0 0)
(1 1 6)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(1 1 7)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(1 2 0)	(0 0 1) (0 1 0) (2 0 0)
(1 2 1)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(1 2 2)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(1 2 3)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (3 0 0)
(1 2 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(1 2 5)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(1 2 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(1 2 7)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)

Table 6. Division property of input is $\mathcal{D}_{2,*,*}^{7,2,7}$

\mathbf{k} of $\mathcal{D}_{\mathbf{k}}^{7,2,7}$	$\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ of $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7}$
(2 0 0)	(0 0 1) (0 1 0) (1 0 0)
(2 0 1)	(0 0 1) (0 1 0) (2 0 0)
(2 0 2)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (2 0 0)
(2 0 3)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (2 0 0)
(2 0 4)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (3 0 0)
(2 0 5)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (3 0 0)
(2 0 6)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(2 0 7)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(2 1 0)	(0 0 1) (0 1 0) (2 0 0)
(2 1 1)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(2 1 2)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(2 1 3)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (3 0 0)
(2 1 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(2 1 5)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(2 1 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(2 1 7)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(2 2 0)	(0 0 1) (0 1 0) (2 0 0)
(2 2 1)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(2 2 2)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(2 2 3)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (3 0 0)
(2 2 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(2 2 5)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(2 2 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(2 2 7)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)

Table 7. Division property of input is $\mathcal{D}_{3,*,*}^{7,2,7}$

\mathbf{k} of $\mathcal{D}_{\mathbf{k}}^{7,2,7}$	$\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ of $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7}$
(3 0 0)	(0 0 1) (0 1 0) (2 0 0)
(3 0 1)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(3 0 2)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(3 0 3)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (3 0 0)
(3 0 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(3 0 5)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(3 0 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(3 0 7)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(3 1 0)	(0 0 1) (0 1 0) (2 0 0)
(3 1 1)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(3 1 2)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(3 1 3)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (3 0 0)
(3 1 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(3 1 5)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(3 1 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(3 1 7)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(3 2 0)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(3 2 1)	(0 0 2) (0 1 1) (0 2 0) (2 0 1) (2 1 0) (4 0 0)
(3 2 2)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(3 2 3)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(3 2 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(3 2 5)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(3 2 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(3 2 7)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (3 0 2) (3 1 1) (3 2 0) (5 0 1) (5 1 0) (7 0 0)

Table 8. Division property of input is $\mathcal{D}_{4,*,*}^{7,2,7}$

\mathbf{k} of $\mathcal{D}_{\mathbf{k}}^{7,2,7}$	$\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ of $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7}$
(4 0 0)	(0 0 1) (0 1 0) (2 0 0)
(4 0 1)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(4 0 2)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(4 0 3)	(0 0 2) (0 1 1) (1 0 1) (1 1 0) (3 0 0)
(4 0 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(4 0 5)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(4 0 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(4 0 7)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(4 1 0)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(4 1 1)	(0 0 2) (0 1 1) (0 2 0) (2 0 1) (2 1 0) (4 0 0)
(4 1 2)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(4 1 3)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(4 1 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(4 1 5)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(4 1 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(4 1 7)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (3 0 2) (3 1 1) (3 2 0) (5 0 1) (5 1 0) (7 0 0)
(4 2 0)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(4 2 1)	(0 0 2) (0 1 1) (0 2 0) (2 0 1) (2 1 0) (4 0 0)
(4 2 2)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(4 2 3)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(4 2 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(4 2 5)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(4 2 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(4 2 7)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (3 0 2) (3 1 1) (3 2 0) (5 0 1) (5 1 0) (7 0 0)

Table 9. Division property of input is $\mathcal{D}_{5,*,*}^{7,2,7}$

\mathbf{k} of $\mathcal{D}_k^{7,2,7}$	$\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ of $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7}$
(5 0 0)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(5 0 1)	(0 0 2) (0 1 1) (0 2 0) (2 0 1) (2 1 0) (4 0 0)
(5 0 2)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(5 0 3)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(5 0 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(5 0 5)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(5 0 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(5 0 7)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (3 0 2) (3 1 1) (3 2 0) (5 0 1) (5 1 0) (7 0 0)
(5 1 0)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(5 1 1)	(0 0 2) (0 1 1) (0 2 0) (2 0 1) (2 1 0) (4 0 0)
(5 1 2)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(5 1 3)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(5 1 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(5 1 5)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(5 1 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(5 1 7)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (3 0 2) (3 1 1) (3 2 0) (5 0 1) (5 1 0) (7 0 0)
(5 2 0)	(0 0 2) (0 1 1) (0 2 0) (2 0 1) (2 1 0) (4 0 0)
(5 2 1)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(5 2 2)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(5 2 3)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(5 2 4)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(5 2 5)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(5 2 6)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (3 0 2) (3 1 1) (3 2 0) (5 0 1) (5 1 0) (7 0 0)
(5 2 7)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (4 0 2) (4 1 1) (4 2 0) (6 0 1) (6 1 0)

Table 10. Division property of input is $\mathcal{D}_{6,*,*}^{7,2,7}$

\mathbf{k} of $\mathcal{D}_{\mathbf{k}}^{7,2,7}$	$\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ of $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7}$
(6 0 0)	(0 0 2) (0 1 1) (0 2 0) (1 0 1) (1 1 0) (3 0 0)
(6 0 1)	(0 0 2) (0 1 1) (0 2 0) (2 0 1) (2 1 0) (4 0 0)
(6 0 2)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(6 0 3)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (2 0 1) (2 1 0) (4 0 0)
(6 0 4)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(6 0 5)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (3 0 1) (3 1 0) (5 0 0)
(6 0 6)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(6 0 7)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (3 0 2) (3 1 1) (3 2 0) (5 0 1) (5 1 0) (7 0 0)
(6 1 0)	(0 0 2) (0 1 1) (0 2 0) (2 0 1) (2 1 0) (4 0 0)
(6 1 1)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(6 1 2)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(6 1 3)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(6 1 4)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(6 1 5)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(6 1 6)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (3 0 2) (3 1 1) (3 2 0) (5 0 1) (5 1 0) (7 0 0)
(6 1 7)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (4 0 2) (4 1 1) (4 2 0) (6 0 1) (6 1 0)
(6 2 0)	(0 0 2) (0 1 1) (0 2 0) (2 0 1) (2 1 0) (4 0 0)
(6 2 1)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(6 2 2)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(6 2 3)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(6 2 4)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(6 2 5)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(6 2 6)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (3 0 2) (3 1 1) (3 2 0) (5 0 1) (5 1 0) (7 0 0)
(6 2 7)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (4 0 2) (4 1 1) (4 2 0) (6 0 1) (6 1 0)

Table 11. Division property of input is $\mathcal{D}_{7,*,*}^{7,2,7}$

\mathbf{k} of $\mathcal{D}_{\mathbf{k}}^{7,2,7}$	$\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ of $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7}$
(7 0 0)	(0 0 2) (0 1 1) (0 2 0) (2 0 1) (2 1 0) (4 0 0)
(7 0 1)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(7 0 2)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(7 0 3)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(7 0 4)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(7 0 5)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(7 0 6)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (3 0 2) (3 1 1) (3 2 0) (5 0 1) (5 1 0) (7 0 0)
(7 0 7)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (4 0 2) (4 1 1) (4 2 0) (6 0 1) (6 1 0)
(7 1 0)	(0 0 2) (0 1 1) (0 2 0) (2 0 1) (2 1 0) (4 0 0)
(7 1 1)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(7 1 2)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(7 1 3)	(0 0 3) (0 1 2) (0 2 1) (1 0 2) (1 1 1) (1 2 0) (3 0 1) (3 1 0) (5 0 0)
(7 1 4)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(7 1 5)	(0 0 4) (0 1 3) (0 2 2) (1 0 3) (1 1 2) (1 2 1) (2 0 2) (2 1 1) (2 2 0) (4 0 1) (4 1 0) (6 0 0)
(7 1 6)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (3 0 2) (3 1 1) (3 2 0) (5 0 1) (5 1 0) (7 0 0)
(7 1 7)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (2 0 3) (2 1 2) (2 2 1) (4 0 2) (4 1 1) (4 2 0) (6 0 1) (6 1 0)
(7 2 0)	(0 0 5) (0 1 4) (0 2 3) (1 0 4) (1 1 3) (1 2 2) (3 0 3) (3 1 2) (3 2 1) (5 0 2) (5 1 1) (5 2 0) (7 0 1) (7 1 0)
(7 2 1)	(0 0 6) (0 1 5) (0 2 4) (1 0 5) (1 1 4) (1 2 3) (2 0 4) (2 1 3) (2 2 2) (4 0 3) (4 1 2) (4 2 1) (6 0 2) (6 1 1) (6 2 0)
(7 2 2)	(0 0 6) (0 1 5) (0 2 4) (1 0 5) (1 1 4) (1 2 3) (2 0 4) (2 1 3) (2 2 2) (4 0 3) (4 1 2) (4 2 1) (6 0 2) (6 1 1) (6 2 0)
(7 2 3)	(0 0 6) (0 1 5) (0 2 4) (1 0 5) (1 1 4) (1 2 3) (2 0 4) (2 1 3) (2 2 2) (4 0 3) (4 1 2) (4 2 1) (6 0 2) (6 1 1) (6 2 0)
(7 2 4)	(0 0 7) (0 1 6) (0 2 5) (1 0 6) (1 1 5) (1 2 4) (2 0 5) (2 1 4) (2 2 3) (3 0 4) (3 1 3) (3 2 2) (5 0 3) (5 1 2) (5 2 1) (7 0 2) (7 1 1) (7 2 0)
(7 2 5)	(0 0 7) (0 1 6) (0 2 5) (1 0 6) (1 1 5) (1 2 4) (2 0 5) (2 1 4) (2 2 3) (3 0 4) (3 1 3) (3 2 2) (5 0 3) (5 1 2) (5 2 1) (7 0 2) (7 1 1) (7 2 0)
(7 2 6)	(0 2 7) (1 1 7) (1 2 6) (2 0 7) (2 1 6) (2 2 5) (3 0 6) (3 1 5) (3 2 4) (4 0 5) (4 1 4) (4 2 3) (5 0 4) (5 1 3) (5 2 2) (7 0 3) (7 1 2) (7 2 1)
(7 2 7)	(7 2 7)

H One of Propagation Characteristic Table against FO function

Table 12. Division property of input is $\mathcal{D}_{1,1,2,3,1,5}^{7,2,7,7,2,7}$

\mathbf{k} of $\mathcal{D}_k^{7,2,7,7,2,7}$	$\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}$ of $\mathcal{D}_{\mathbf{k}^{(1)}, \mathbf{k}^{(2)}, \dots, \mathbf{k}^{(q)}}^{7,2,7,7,2,7}$
(1 1 2 3 1 5)	(0 0 0 0 0 4) (0 0 0 0 1 3) (0 0 0 0 2 2) (0 0 0 1 0 3) (0 0 0 1 1 2) (0 0 0 1 2 1) (0 0 0 2 0 2) (0 0 0 2 1 1) (0 0 0 2 2 0) (0 0 0 3 0 1) (0 0 0 3 1 0) (0 0 0 5 0 0) (0 0 1 0 0 3) (0 0 1 0 1 2) (0 0 1 0 2 1) (0 0 1 1 0 2) (0 0 1 1 1 1) (0 0 1 1 2 0) (0 0 1 2 0 1) (0 0 1 2 1 0) (0 0 1 3 0 0) (0 0 2 0 0 2) (0 0 2 0 1 1) (0 0 2 0 2 0) (0 0 2 1 0 1) (0 0 2 1 1 0) (0 0 2 2 0 0) (0 0 3 0 0 1) (0 0 3 0 1 0) (0 0 3 1 0 0) (0 0 5 0 0 0) (0 1 0 0 0 3) (0 1 0 0 1 2) (0 1 0 0 2 1) (0 1 0 1 0 2) (0 1 0 1 1 1) (0 1 0 1 2 0) (0 1 0 2 0 1) (0 1 0 2 1 0) (0 1 0 3 0 0) (0 1 1 0 0 2) (0 1 1 0 1 1) (0 1 1 0 2 0) (0 1 1 1 0 1) (0 1 1 1 1 0) (0 1 1 2 0 0) (0 1 2 0 0 1) (0 1 2 0 1 0) (0 1 2 1 0 0) (0 1 4 0 0 0) (0 2 0 0 0 2) (0 2 0 0 1 1) (0 2 0 0 2 0) (0 2 0 1 0 1) (0 2 0 1 1 0) (0 2 0 2 0 0) (0 2 1 0 0 1) (0 2 1 0 1 0) (0 2 1 1 0 0) (0 2 3 0 0 0) (1 0 0 0 0 3) (1 0 0 0 1 2) (1 0 0 0 2 1) (1 0 0 1 0 2) (1 0 0 1 1 1) (1 0 0 1 2 0) (1 0 0 2 0 1) (1 0 0 2 1 0) (1 0 0 4 0 0) (1 0 1 0 0 2) (1 0 1 0 1 1) (1 0 1 0 2 0) (1 0 1 1 0 1) (1 0 1 1 1 0) (1 0 1 2 0 0) (1 0 2 0 0 1) (1 0 2 0 1 0) (1 0 2 1 0 0) (1 0 4 0 0 0) (1 1 0 0 0 2) (1 1 0 0 1 1) (1 1 0 0 2 0) (1 1 0 1 0 1) (1 1 0 1 1 0) (1 1 0 2 0 0) (1 1 1 0 0 1) (1 1 1 0 1 0) (1 1 1 1 0 0) (1 1 3 0 0 0) (1 2 0 0 0 1) (1 2 0 0 1 0) (1 2 0 1 0 0) (1 2 2 0 0 0) (2 0 0 0 0 2) (2 0 0 0 1 1) (2 0 0 0 2 0) (2 0 0 1 0 1) (2 0 0 1 1 0) (2 0 0 3 0 0) (2 0 1 0 0 1) (2 0 1 0 1 0) (2 0 1 1 0 0) (2 0 3 0 0 0) (2 1 0 0 0 1) (2 1 0 0 1 0) (2 1 0 1 0 0) (2 1 2 0 0 0) (2 2 1 0 0 0) (3 0 0 0 0 1) (3 0 0 0 1 0) (3 0 0 2 0 0) (3 0 2 0 0 0) (3 1 1 0 0 0) (3 2 0 0 0 0) (4 0 0 1 0 0) (4 0 1 0 0 0) (4 1 0 0 0 0) (6 0 0 0 0 0)